



# 街画区地 原子一覽表 (10 街区)



計算面積 =

角切面積 =

換地面積 =



藤谷 169.88<sup>m²</sup> 1116 5/8 確記  
 立林 307.88<sup>m²</sup> } 同之賃金絶対家面積

10 街区

\*\*\* マシキ ケイソウ ( 10 街区 )

| NO          | X          | Y          | DX      | DY     | D M D   | 2S          | A         | L      |
|-------------|------------|------------|---------|--------|---------|-------------|-----------|--------|
| 2221 ( / )  | -63569.554 | -90520.390 |         |        |         |             |           |        |
| 2222 ( 2 )  | -63572.334 | -90523.081 | -2.780  | -2.691 | -2.691  | 7.480980    | 224-04-05 | 3.869  |
| 2223 ( ω )  | -63575.051 | -90525.712 | -2.717  | -2.631 | -8.013  | 21.771321   | 224-04-43 | 3.782  |
| 2224 ( 4 )  | -63577.768 | -90528.344 | -2.717  | -2.632 | -13.276 | 36.070892   | 224-05-23 | 3.783  |
| 2225 ( ✓ )  | -63582.769 | -90533.187 | -5.001  | -4.843 | -20.751 | 103.775751  | 224-04-50 | 6.962  |
| 2226 ( 6 )  | -63586.375 | -90536.679 | -3.606  | -3.492 | -29.086 | 104.884116  | 224-04-47 | 5.020  |
| 2227 ( 7 )  | -63589.464 | -90539.671 | -3.089  | -2.992 | -35.570 | 109.875730  | 224-05-10 | 4.300  |
| 2228 ( 8 )  | -63592.992 | -90543.089 | -3.528  | -3.418 | -41.980 | 148.105440  | 224-05-34 | 4.912  |
| 2229 ( 9 )  | -63599.529 | -90549.420 | -6.537  | -6.331 | -51.729 | 338.152473  | 224-04-58 | 9.100  |
| 2230 ( 10 ) | -63602.491 | -90552.289 | -2.962  | -2.869 | -60.929 | 180.471698  | 224-05-11 | 4.124  |
| 2231 ( 11 ) | -63605.957 | -90555.646 | -3.466  | -3.357 | -67.155 | 232.759230  | 224-05-05 | 4.825  |
| 2232 ( 12 ) | -63609.405 | -90558.985 | -3.448  | -3.339 | -73.851 | 254.638248  | 224-04-48 | 4.800  |
| 2233 ( 13 ) | -63612.264 | -90561.754 | -2.859  | -2.769 | -79.959 | 228.602781  | 224-05-02 | 3.980  |
| 2234 ( 14 ) | -63617.292 | -90566.624 | -5.028  | -4.870 | -87.598 | 440.442744  | 224-05-08 | 7.000  |
| 2235 ( 15 ) | -63619.313 | -90568.581 | -2.021  | -1.957 | -94.425 | 190.832925  | 224-04-42 | 2.813  |
| 2236 ( 16 ) | -63621.310 | -90568.440 | -1.997  | 0.141  | -96.241 | 192.193277  | 175-57-41 | 2.002  |
| 2237 ( 17 ) | -63634.345 | -90551.651 | -13.035 | 16.789 | -79.311 | 1033.818885 | 127-49-33 | 21.255 |
| 2238 ( 18 ) | -63639.972 | -90544.437 | -5.627  | 7.214  | -55.308 | 311.218116  | 127-57-17 | 9.149  |
| 2239 ( 19 ) | -63639.748 | -90540.688 | 0.224   | 3.749  | -44.345 | -9.933280   | 86-34-50  | 3.756  |
| 2240 ( 20 ) | -63636.148 | -90537.057 | 3.600   | 3.631  | -36.965 | -133.074000 | 45-14-44  | 5.113  |
| 2241 ( 21 ) | -63633.390 | -90534.277 | 2.758   | 2.780  | -30.554 | -84.267932  | 45-13-39  | 3.916  |
|             |            |            | 3.104   | 3.131  | -24.643 | -76.491872  | 45-14-53  | 4.409  |

| NO   |        | X          | Y          | DX     | DY      | D       | M | D | 2S         | A         | L      |
|------|--------|------------|------------|--------|---------|---------|---|---|------------|-----------|--------|
| 2242 | ( 22 ) | -63630.286 | -90531.146 |        |         |         |   |   |            |           |        |
| 2243 | ( 23 ) | -63627.008 | -90527.841 | 3.278  | 3.305   | -18.207 |   |   | -59.682546 | 45-14-06  | 4.655  |
| 2244 | ( 24 ) | -63624.216 | -90525.025 | 2.792  | 2.816   | -12.086 |   |   | -33.744112 | 45-14-43  | 3.965  |
| 2245 | ( 25 ) | -63618.162 | -90518.919 | 6.054  | 6.106   | -3.164  |   |   | -19.154856 | 45-14-42  | 8.598  |
| 2246 | ( 26 ) | -63614.779 | -90515.508 | 3.383  | 3.411   | 6.353   |   |   | 21.492199  | 45-14-10  | 4.804  |
| 2247 | ( 27 ) | -63611.075 | -90511.773 | 3.704  | 3.735   | 13.499  |   |   | 50.000296  | 45-14-20  | 5.260  |
| 2248 | ( 28 ) | -63607.795 | -90508.466 | 3.280  | 3.307   | 20.541  |   |   | 67.374480  | 45-14-05  | 4.658  |
| 2249 | ( 29 ) | -63603.342 | -90503.974 | 4.453  | 4.492   | 28.340  |   |   | 126.198020 | 45-14-59  | 6.325  |
| 2250 | ( 30 ) | -63600.711 | -90501.322 | 2.631  | 2.652   | 35.484  |   |   | 93.358404  | 45-13-40  | 3.736  |
| 2251 | ( 31 ) | -63597.708 | -90498.293 | 3.003  | 3.029   | 41.165  |   |   | 123.618495 | 45-14-49  | 4.265  |
| 2252 | ( 32 ) | -63597.571 | -90498.155 | 0.137  | 0.138   | 44.332  |   |   | 6.073484   | 45-12-30  | 0.194  |
| 2253 | ( 33 ) | -63594.637 | -90495.124 | 2.934  | 3.031   | 47.501  |   |   | 139.367934 | 45-55-54  | 4.218  |
| 2254 | ( 34 ) | -63569.593 | -90520.350 | 25.044 | -25.226 | 25.306  |   |   | 633.763464 | 314-47-33 | 35.546 |
| 2221 | ( / )  | -63569.554 | -90520.390 | 0.039  | -0.040  | 0.040   |   |   | 0.001560   | 314-16-29 | 0.056  |

TOTAL

2S 4779.994345  
S 2389.997172

-----  
合計 2389.997172 SQ METER

722.974144 ツホ"

10 街区

\*\*\* メンテナンスライン ( / )

| NO          | X          | Y          | DX      | DY      | D M D  | 2S          | A         | L       |
|-------------|------------|------------|---------|---------|--------|-------------|-----------|---------|
| 2221 ( / )  | -63569.554 | -90520.390 |         |         |        |             |           |         |
|             |            |            | -2.780  | -2.691  | -2.691 | 7.480980    | 224-04-05 | 3.869√  |
| 2222 ( 2 )  | -63572.334 | -90523.081 |         |         |        |             |           |         |
|             |            |            | -20.421 | 19.950  | 14.568 | -297.493128 | 135-40-06 | 28.549√ |
| 2255 ( 22 ) | -63592.755 | -90503.131 |         |         |        |             |           |         |
|             |            |            | -4.953  | 4.838   | 39.356 | -194.930268 | 135-40-23 | 6.924√  |
| 2251 ( 61 ) | -63597.708 | -90498.293 |         |         |        |             |           |         |
|             |            |            | 0.137   | 0.138   | 44.332 | 6.073484    | 45-12-30  | 0.194√  |
| 2252 ( 40 ) | -63597.571 | -90498.155 |         |         |        |             |           |         |
|             |            |            | 2.934   | 3.031   | 47.501 | 139.367934  | 45-55-54  | 4.218√  |
| 2253 ( 22 ) | -63594.637 | -90495.124 |         |         |        |             |           |         |
|             |            |            | 25.044  | -25.226 | 25.306 | 633.763464  | 314-47-33 | 35.546√ |
| 2254 ( 21 ) | -63569.593 | -90520.350 |         |         |        |             |           |         |
|             |            |            | 0.039   | -0.040  | 0.040  | 0.001560    | 314-16-29 | 0.056√  |
| 2221 ( / )  | -63569.554 | -90520.390 |         |         |        |             |           |         |

TOTAL  
 2S 294.264026  
 S 147.132013  
 -----  
 メンテナ 147.132013√ SQ METER  
 44.507433 ユツホ"

\*\*\* メンテナンスライン ( 2-A )

| NO          | X          | Y          | DX      | DY      | D M D  | 2S          | A         | L       |
|-------------|------------|------------|---------|---------|--------|-------------|-----------|---------|
| 2222 ( 2 )  | -63572.334 | -90523.081 |         |         |        |             |           |         |
|             |            |            | -2.717  | -2.631  | -2.631 | 7.148427    | 224-04-43 | 3.782√  |
| 2223 ( 6 )  | -63575.051 | -90525.712 |         |         |        |             |           |         |
|             |            |            | -20.641 | 19.619  | 14.357 | -296.342837 | 136-27-15 | 28.477√ |
| 2256 ( 40 ) | -63595.692 | -90506.093 |         |         |        |             |           |         |
|             |            |            | 2.937   | 2.962   | 36.938 | 108.486906  | 45-14-34  | 4.171√  |
| 2255 ( 22 ) | -63592.755 | -90503.131 |         |         |        |             |           |         |
|             |            |            | 20.421  | -19.950 | 19.950 | 407.398950  | 315-40-06 | 28.549√ |
| 2222 ( 2 )  | -63572.334 | -90523.081 |         |         |        |             |           |         |

TOTAL  
 2S 226.691446  
 S 113.345723  
 -----  
 メンテナ 113.345723√ SQ METER  
 34.287081 ユツホ"

\*\*\* 測点一覧 ( 2-B )

| NO         | X          | Y          | DX     | DY     | D M D  | 2S        | A         | L      |
|------------|------------|------------|--------|--------|--------|-----------|-----------|--------|
| 2255 ( ㇀ ) | -63592.755 | -90503.131 |        |        |        |           |           |        |
| 2256 ( ㇁ ) | -63595.692 | -90506.093 | -2.937 | -2.962 | -2.962 | 8.699394  | 225-14-34 | 4.171V |
| 2250 ( ㇂ ) | -63600.711 | -90501.322 | -5.019 | 4.771  | -1.153 | 5.786907  | 136-27-04 | 6.925V |
| 2251 ( ㇃ ) | -63597.708 | -90498.293 | 3.003  | 3.029  | 6.647  | 19.960941 | 45-14-49  | 4.265V |
| 2255 ( ㇀ ) | -63592.755 | -90503.131 | 4.953  | -4.838 | 4.838  | 23.962614 | 315-40-23 | 6.924V |

TOTAL  
2S 58.409856  
S 29.204928

測点 29.204928V SQ METER  
8.834490 ヴ

\*\*\* 測点一覧 ( 3 )

| NO         | X          | Y          | DX      | DY      | D M D  | 2S          | A         | L       |
|------------|------------|------------|---------|---------|--------|-------------|-----------|---------|
| 2223 ( ㇄ ) | -63575.051 | -90525.712 |         |         |        |             |           |         |
| 2224 ( ㇅ ) | -63577.768 | -90528.344 | -2.717  | -2.632  | -2.632 | 7.151144    | 224-05-23 | 3.783V  |
| 2249 ( ㇆ ) | -63603.342 | -90503.974 | -25.574 | 24.370  | 19.106 | -488.616844 | 136-22-51 | 35.326V |
| 2250 ( ㇂ ) | -63600.711 | -90501.322 | 2.631   | 2.652   | 46.128 | 121.362768  | 45-13-40  | 3.736V  |
| 2256 ( ㇁ ) | -63595.692 | -90506.093 | 5.019   | -4.771  | 44.009 | 220.881171  | 316-27-04 | 6.925V  |
| 2223 ( ㇄ ) | -63575.051 | -90525.712 | 20.641  | -19.619 | 19.619 | 404.955779  | 316-27-15 | 28.477V |

TOTAL  
2S 265.734018  
S 132.867009

測点 132.867009V SQ METER  
40.192270 ヴ

\*\*\* マルチ ケイソン ( 4 )

| NO         | X          | Y          | DX      | DY      | D M D  | 2S          | A         | L       |
|------------|------------|------------|---------|---------|--------|-------------|-----------|---------|
| 2224 ( 4 ) | -63577.768 | -90528.344 |         |         |        |             |           |         |
| 2225 ( 4 ) | -63582.769 | -90533.187 | -5.001  | -4.843  | -4.843 | 24.219843   | 224-04-50 | 6.962v  |
| 2258 ( 4 ) | -63599.325 | -90517.203 | -16.556 | 15.984  | 6.298  | -104.269688 | 136-00-25 | 23.013v |
| 2257 ( 4 ) | -63598.726 | -90516.531 | 0.599   | 0.672   | 22.954 | 13.749446   | 48-17-14  | 0.900v  |
| 2248 ( 4 ) | -63607.795 | -90508.466 | -9.069  | 8.065   | 31.691 | -287.405679 | 138-21-13 | 12.136v |
| 2249 ( 4 ) | -63603.342 | -90503.974 | 4.453   | 4.492   | 44.248 | 197.036344  | 45-14-59  | 6.325v  |
| 2224 ( 4 ) | -63577.768 | -90528.344 | 25.574  | -24.370 | 24.370 | 623.238380  | 316-22-51 | 35.326v |

TOTAL  
 2S 466.568646  
 S 233.284323  
 -----  
 マルチ 233.284323v SQ MEIER  
 70.568507 ツホ"

\*\*\* メンキ クイサン ( ✓ )

| NO         | X          | Y          | DX      | DY      | D M D  | 2S          | A         | L       |
|------------|------------|------------|---------|---------|--------|-------------|-----------|---------|
| 2225 ( ✓ ) | -63582.769 | -90533.187 |         |         |        |             |           |         |
| 2226 ( ✓ ) | -63586.375 | -90536.679 | -3.606  | -3.492  | -3.492 | 12.592152   | 224-04-47 | 5.020✓  |
| 2259 ( ✓ ) | -63596.398 | -90527.102 | -10.023 | 9.577   | 2.593  | -25.989639  | 136-18-13 | 13.863✓ |
| 2260 ( ✓ ) | -63599.367 | -90530.209 | -2.969  | -3.107  | 9.063  | -26.908047  | 226-18-04 | 4.297✓  |
| 2262 ( ✓ ) | -63604.381 | -90525.418 | -5.014  | 4.791   | 10.747 | -53.885458  | 136-18-10 | 6.935✓  |
| 2261 ( ✓ ) | -63600.749 | -90521.616 | 3.632   | 3.802   | 19.340 | 70.242880   | 46-18-36  | 5.258✓  |
| 2247 ( ✓ ) | -63611.075 | -90511.773 | -10.326 | 9.843   | 32.985 | -340.603110 | 136-22-19 | 14.266✓ |
| 2248 ( ✓ ) | -63607.795 | -90508.466 | 3.280   | 3.307   | 46.135 | 151.322800  | 45-14-05  | 4.658✓  |
| 2257 ( ✓ ) | -63598.726 | -90516.531 | 9.069   | -8.065  | 41.377 | 375.248013  | 318-21-13 | 12.136✓ |
| 2258 ( ✓ ) | -63599.325 | -90517.203 | -0.599  | -0.672  | 32.640 | -19.551360  | 228-17-14 | 0.900✓  |
| 2225 ( ✓ ) | -63582.769 | -90533.187 | 16.556  | -15.984 | 15.984 | 264.631104  | 316-00-25 | 23.013✓ |

TOTAL

2S 407.099335  
S 203.549667

-----  
メンキ 203.549667 / SQ MEIER

61.573774 ッホ"

\*\*\* メンピキ ケイザン ( 6 )

| NO          | X          | Y          | DX      | DY     | D M D  | 2S         | A         | L       |
|-------------|------------|------------|---------|--------|--------|------------|-----------|---------|
| 2261 ( 27 ) | -63600.749 | -90521.616 |         |        |        |            |           |         |
| 2262 ( 28 ) | -63604.381 | -90525.418 | -3.632  | -3.802 | -3.802 | 13.808864  | 226-18-36 | 5.258✓  |
| 2246 ( 26 ) | -63614.779 | -90515.508 | -10.398 | 9.910  | 2.306  | -23.977788 | 136-22-36 | 14.364✓ |
| 2247 ( 27 ) | -63611.075 | -90511.773 | 3.704   | 3.735  | 15.951 | 59.082504  | 45-14-20  | 5.260✓  |
| 2261 ( 27 ) | -63600.749 | -90521.616 | 10.326  | -9.843 | 9.843  | 101.638818 | 316-22-19 | 14.266✓ |

TOTAL

2S 150.552398  
S 75.276199

-----  
メンピキ 75.276199✓ SQ METER

22.771050 ッホ"

\*\*\* メンピキ ケイザン ( 7 )

| NO          | X          | Y          | DX     | DY     | D M D  | 2S         | A         | L       |
|-------------|------------|------------|--------|--------|--------|------------|-----------|---------|
| 2226 ( 6 )  | -63586.375 | -90536.679 |        |        |        |            |           |         |
| 2227 ( 7 )  | -63589.464 | -90539.671 | -3.089 | -2.992 | -2.992 | 9.242288   | 224-05-10 | 4.300✓  |
| 2260 ( 7 )  | -63599.367 | -90530.209 | -9.903 | 9.462  | 3.478  | -34.442634 | 136-18-16 | 13.697✓ |
| 2259 ( 26 ) | -63596.398 | -90527.102 | 2.969  | 3.107  | 16.047 | 47.643543  | 46-18-04  | 4.297✓  |
| 2226 ( 27 ) | -63586.375 | -90536.679 | 10.023 | -9.577 | 9.577  | 95.990271  | 316-18-13 | 13.863✓ |

TOTAL

2S 118.433468  
S 59.216734

-----  
メンピキ 59.216734✓ SQ METER

17.913062 ッホ"



\*\*\* メンピキ ケイサン ( ㇏ )

| NO         | X          | Y          | DX      | DY     | D M D  | 2S          | A         | L       |
|------------|------------|------------|---------|--------|--------|-------------|-----------|---------|
| 2227 ( ㇏ ) | -63589.464 | -90539.671 |         |        |        |             |           |         |
| 2228 ( ㇏ ) | -63592.992 | -90543.089 | -3.528  | -3.418 | -3.418 | 12.058704   | 224-05-34 | 4.912✓  |
| 2245 ( ㇏ ) | -63618.162 | -90518.919 | -25.170 | 24.170 | 17.334 | -436.296780 | 136-09-40 | 34.896✓ |
| 2246 ( ㇏ ) | -63614.779 | -90515.508 | 3.383   | 3.411  | 44.915 | 151.947445  | 45-14-10  | 4.804✓  |
| 2262 ( ㇏ ) | -63604.381 | -90525.418 | 10.398  | -9.910 | 38.416 | 399.449568  | 316-22-36 | 14.364✓ |
| 2260 ( ㇏ ) | -63599.367 | -90530.209 | 5.014   | -4.791 | 23.715 | 118.907010  | 316-18-10 | 6.935✓  |
| 2227 ( ㇏ ) | -63589.464 | -90539.671 | 9.903   | -9.462 | 9.462  | 93.702186   | 316-18-16 | 13.697✓ |

TOTAL

2S 339.768133

S 169.884066

-----  
 メンピキ 169.884066✓ SQ METER

51.389930 ツホ"

\*\*\* メンピキ ケイサン ( ㇏ )

| NO         | X          | Y          | DX      | DY      | D M D  | 2S          | A         | L       |
|------------|------------|------------|---------|---------|--------|-------------|-----------|---------|
| 2228 ( ㇏ ) | -63592.992 | -90543.089 |         |         |        |             |           |         |
| 2229 ( ㇏ ) | -63599.529 | -90549.420 | -6.537  | -6.331  | -6.331 | 41.385747   | 224-04-58 | 9.100✓  |
| 2244 ( ㇏ ) | -63624.216 | -90525.025 | -24.687 | 24.395  | 11.733 | -289.652571 | 135-20-27 | 34.707✓ |
| 2245 ( ㇏ ) | -63618.162 | -90518.919 | 6.054   | 6.106   | 42.234 | 255.684636  | 45-14-42  | 8.598✓  |
| 2228 ( ㇏ ) | -63592.992 | -90543.089 | 25.170  | -24.170 | 24.170 | 608.358900  | 316-09-40 | 34.896✓ |

TOTAL

2S 615.776712

S 307.888356

-----  
 メンピキ 307.888356✓ SQ METER

93.136227 ツホ"

\*\*\* 変位データ ( / 0 )

| NO           | X          | Y          | DX      | DY      | D M D  | 2S          | A         | L       |
|--------------|------------|------------|---------|---------|--------|-------------|-----------|---------|
| 2229 ( / )   | -63599.529 | -90549.420 |         |         |        |             |           |         |
| 2230 ( / 0 ) | -63602.491 | -90552.289 | -2.962  | -2.869  | -2.869 | 8.497978    | 224-05-11 | 4.124v  |
| 2243 ( 20 )  | -63627.008 | -90527.841 | -24.517 | 24.448  | 18.710 | -458.713070 | 135-04-51 | 34.624v |
| 2244 ( 24 )  | -63624.216 | -90525.025 | 2.792   | 2.816   | 45.974 | 128.359408  | 45-14-43  | 3.965v  |
| 2229 ( / )   | -63599.529 | -90549.420 | 24.687  | -24.395 | 24.395 | 602.239365  | 315-20-27 | 34.707v |

TOTAL  
 2S 280.383681  
 S 140.191840  
 -----  
 変位 140.191840v SQ METER  
 42.408031 ッホ"

\*\*\* 変位データ ( // )

| NO           | X          | Y          | DX      | DY      | D M D  | 2S          | A         | L       |
|--------------|------------|------------|---------|---------|--------|-------------|-----------|---------|
| 2230 ( / 0 ) | -63602.491 | -90552.289 |         |         |        |             |           |         |
| 2231 ( // )  | -63605.957 | -90555.646 | -3.466  | -3.357  | -3.357 | 11.635362   | 224-05-05 | 4.825v  |
| 2242 ( // )  | -63630.286 | -90531.146 | -24.329 | 24.500  | 17.786 | -432.715594 | 134-47-58 | 34.528v |
| 2243 ( 22 )  | -63627.008 | -90527.841 | 3.278   | 3.305   | 45.591 | 149.447298  | 45-14-06  | 4.655v  |
| 2230 ( / 0 ) | -63602.491 | -90552.289 | 24.517  | -24.448 | 24.448 | 599.391616  | 315-04-51 | 34.624v |

TOTAL  
 2S 327.758682  
 S 163.879341  
 -----  
 変位 163.879341v SQ METER  
 49.573500 ッホ"

\*\*\* 測点データ ( 12 )

| NO          | X          | Y          | DX      | DY      | D M D  | 2S          | A         | L       |
|-------------|------------|------------|---------|---------|--------|-------------|-----------|---------|
| 2231 ( 11 ) | -63605.957 | -90555.646 |         |         |        |             |           |         |
| 2232 ( 12 ) | -63609.405 | -90558.985 | -3.448  | -3.339  | -3.339 | 11.512872   | 224-04-48 | 4.800✓  |
| 2241 ( 21 ) | -63633.390 | -90534.277 | -23.985 | 24.708  | 18.030 | -432.449550 | 134-08-58 | 34.435✓ |
| 2242 ( 22 ) | -63630.286 | -90531.146 | 3.104   | 3.131   | 45.869 | 142.377376  | 45-14-53  | 4.409✓  |
| 2231 ( 11 ) | -63605.957 | -90555.646 | 24.329  | -24.500 | 24.500 | 596.060500  | 314-47-58 | 34.528✓ |

TOTAL  
 2S 317.501198  
 S 158.750599  
 -----  
 測点 158.750599✓ SQ METER  
 48.022056 ッホ"

\*\*\* 測点データ ( 10 )

| NO          | X          | Y          | DX      | DY      | D M D  | 2S          | A         | L       |
|-------------|------------|------------|---------|---------|--------|-------------|-----------|---------|
| 2232 ( 12 ) | -63609.405 | -90558.985 |         |         |        |             |           |         |
| 2233 ( 10 ) | -63612.264 | -90561.754 | -2.859  | -2.769  | -2.769 | 7.916571    | 224-05-02 | 3.980✓  |
| 2240 ( 10 ) | -63636.148 | -90537.057 | -23.884 | 24.697  | 19.159 | -457.593556 | 134-02-28 | 34.357✓ |
| 2241 ( 20 ) | -63633.390 | -90534.277 | 2.758   | 2.780   | 46.636 | 128.622088  | 45-13-39  | 3.916✓  |
| 2241 ( 21 ) | -63633.390 | -90534.277 | 23.985  | -24.708 | 24.708 | 592.621380  | 314-08-58 | 34.435✓ |
| 2232 ( 12 ) | -63609.405 | -90558.985 |         |         |        |             |           |         |

TOTAL  
 2S 271.566483  
 S 135.783241  
 -----  
 測点 135.783241✓ SQ METER  
 41.074430 ッホ"

\*\*\* 測点データ ( / )

| NO         | X          | Y          | DX      | DY      | D M D  | 2S          | A         | L       |
|------------|------------|------------|---------|---------|--------|-------------|-----------|---------|
| 2233 ( / ) | -63612.264 | -90561.754 |         |         |        |             |           |         |
| 2234 ( / ) | -63617.292 | -90566.624 | -5.028  | -4.870  | -4.870 | 24.486360   | 224-05-08 | 7.000✓  |
| 2263 ( / ) | -63632.662 | -90550.381 | -15.370 | 16.243  | 6.503  | -99.951110  | 133-25-05 | 22.362✓ |
| 2237 ( / ) | -63634.345 | -90551.651 | -1.683  | -1.270  | 21.476 | -36.144108  | 217-02-18 | 2.108✓  |
| 2238 ( / ) | -63639.972 | -90544.437 | -5.627  | 7.214   | 27.420 | -154.292340 | 127-57-17 | 9.149✓  |
| 2239 ( / ) | -63639.748 | -90540.688 | 0.224   | 3.749   | 38.383 | 8.597792    | 86-34-50  | 3.756✓  |
| 2240 ( / ) | -63636.148 | -90537.057 | 3.600   | 3.631   | 45.763 | 164.746800  | 45-14-44  | 5.113✓  |
| 2233 ( / ) | -63612.264 | -90561.754 | 23.884  | -24.697 | 24.697 | 589.863148  | 314-02-28 | 34.357✓ |

TOTAL

2S 497.306542

S 248.653271

測点 248.653271✓ SQ MEIER

75.217614 測点

\*\*\* 木地キライツ ( ✓ )

| NO          | X          | Y          | DX      | DY      | D M D  | 2S          | A         | L       |
|-------------|------------|------------|---------|---------|--------|-------------|-----------|---------|
| 2234 ( 14 ) | -63617.292 | -90566.624 |         |         |        |             |           |         |
| 2235 ( ✓ )  | -63619.313 | -90568.581 | -2.021  | -1.957  | -1.957 | 3.955097    | 224-04-42 | 2.813✓  |
| 2236 ( 16 ) | -63621.310 | -90568.440 | -1.997  | 0.141   | -3.773 | 7.534681    | 175-57-41 | 2.002✓  |
| 2237 ( 17 ) | -63634.345 | -90551.651 | -13.035 | 16.789  | 13.157 | -171.501495 | 127-49-33 | 21.255✓ |
| 2263 ( 2P ) | -63632.662 | -90550.381 | 1.683   | 1.270   | 31.216 | 52.536528   | 37-02-18  | 2.108✓  |
| 2234 ( 14 ) | -63617.292 | -90566.624 | 15.370  | -16.243 | 16.243 | 249.654910  | 313-25-05 | 22.362✓ |

TOTAL

2S 142.179721

S 71.089860

木地キ 71.089860✓ SQ METER

21.504682 ㎡