





街区地原一覽表 (// 街区)



計算面積 =  m²
 角切面積 = 
 換地面積 = 



// 街区

*** マシキ カイロ (//)

| NO | X | Y | DX | DY | D M D | 2S | A | L |
|-------------|------------|------------|--------|--------|---------|------------|-----------|--------|
| 2264 (/) | -63539.029 | -90564.878 | -0.388 | -4.048 | -4.048 | 1.570624 | 264-31-30 | 4.067 |
| 2265 (2) | -63539.417 | -90568.926 | -0.006 | -0.160 | -8.256 | 0.049536 | 267-51-09 | 0.160 |
| 2266 (3) | -63539.423 | -90569.086 | -0.400 | -2.418 | -10.834 | 4.333600 | 260-36-25 | 2.451 |
| 2267 (4) | -63539.823 | -90571.504 | -1.098 | -1.896 | -15.148 | 16.632504 | 239-55-27 | 2.191 |
| 2268 (5) | -63540.921 | -90573.400 | -4.889 | -5.421 | -22.465 | 109.831385 | 227-57-14 | 7.300 |
| 2269 (6) | -63545.810 | -90578.821 | -3.979 | -3.377 | -31.263 | 124.395477 | 220-19-17 | 5.219 |
| 2270 (7) | -63549.789 | -90582.198 | -2.433 | -2.065 | -36.705 | 89.303265 | 220-19-22 | 3.191 |
| 2271 (8) | -63552.222 | -90584.263 | -3.223 | -2.735 | -41.505 | 133.770615 | 220-19-03 | 4.227 |
| 2272 (9) | -63555.445 | -90586.998 | -3.135 | -2.661 | -46.901 | 147.034635 | 220-19-29 | 4.112 |
| 2273 (10) | -63558.580 | -90589.659 | -4.868 | -4.131 | -53.693 | 261.377524 | 220-19-05 | 6.385 |
| 2274 (11) | -63563.448 | -90593.790 | -3.212 | -2.727 | -60.551 | 194.489812 | 220-19-53 | 4.213 |
| 2275 (12) | -63566.660 | -90596.517 | -2.771 | -2.351 | -65.629 | 181.857959 | 220-18-44 | 3.634 |
| 2276 (13) | -63569.431 | -90598.868 | -2.953 | -2.506 | -70.486 | 208.145158 | 220-19-08 | 3.873 |
| 2277 (14) | -63572.384 | -90601.374 | -2.630 | -2.232 | -75.224 | 197.839120 | 220-19-13 | 3.449 |
| 2278 (15) | -63575.014 | -90603.606 | -9.574 | -8.125 | -85.581 | 819.352494 | 220-19-11 | 12.557 |
| 2279 (16) | -63584.588 | -90611.731 | -2.672 | 3.247 | -90.459 | 241.706448 | 129-27-05 | 4.205 |
| 2280 (17) | -63587.260 | -90608.484 | -0.184 | 0.224 | -86.988 | 16.005792 | 129-24-02 | 0.290 |
| 2281 (18) | -63587.444 | -90608.260 | -3.011 | 3.657 | -83.107 | 250.235177 | 129-27-59 | 4.737 |
| 2282 (19) | -63590.455 | -90604.603 | -5.028 | 6.109 | -73.341 | 368.758548 | 129-27-22 | 7.912 |
| 2283 (20) | -63595.483 | -90598.494 | -3.895 | 4.732 | -62.500 | 243.437500 | 129-27-30 | 6.129 |
| 2284 (21) | -63599.378 | -90593.762 | -1.783 | 2.168 | -55.600 | 99.134800 | 129-26-04 | 2.807 |

| NO | X | Y | DX | DY | D M D | 2S | A | L |
|-------------|------------|------------|---------|---------|---------|-------------|-----------|--------|
| 2285 (22) | -63601.161 | -90591.594 | | | | | | |
| 2286 (23) | -63615.100 | -90574.658 | -13.939 | 16.936 | -36.496 | 508.717744 | 129-27-21 | 21.935 |
| 2287 (24) | -63614.976 | -90572.457 | 0.124 | 2.201 | -17.359 | -2.152516 | 86-46-32 | 2.204 |
| 2288 (25) | -63613.164 | -90570.702 | 1.812 | 1.755 | -13.403 | -24.286236 | 44-05-04 | 2.523 |
| 2289 (26) | -63610.385 | -90568.010 | 2.779 | 2.692 | -8.956 | -24.888724 | 44-05-20 | 3.869 |
| 2290 (27) | -63605.418 | -90563.199 | 4.967 | 4.811 | -1.453 | -7.217051 | 44-05-09 | 6.915 |
| 2291 (28) | -63602.808 | -90560.671 | 2.610 | 2.528 | 5.886 | 15.362460 | 44-05-08 | 3.634 |
| 2292 (29) | -63600.236 | -90558.180 | 2.572 | 2.491 | 10.905 | 28.047660 | 44-05-00 | 3.581 |
| 2293 (30) | -63597.633 | -90555.660 | 2.603 | 2.520 | 15.916 | 41.429348 | 44-04-19 | 3.623 |
| 2294 (31) | -63594.325 | -90552.455 | 3.308 | 3.205 | 21.641 | 71.588428 | 44-05-38 | 4.606 |
| 2295 (32) | -63591.114 | -90549.345 | 3.211 | 3.110 | 27.956 | 89.766716 | 44-05-04 | 4.470 |
| 2296 (33) | -63588.362 | -90546.681 | 2.752 | 2.664 | 33.730 | 92.824960 | 44-04-09 | 3.830 |
| 2297 (34) | -63586.071 | -90544.462 | 2.291 | 2.219 | 38.613 | 88.462383 | 44-05-07 | 3.189 |
| 2298 (35) | -63577.279 | -90535.946 | 8.792 | 8.516 | 49.348 | 433.867616 | 44-05-11 | 12.240 |
| 2299 (36) | -63574.233 | -90532.996 | 3.046 | 2.950 | 60.814 | 185.239444 | 44-04-58 | 4.240 |
| 2300 (37) | -63571.655 | -90530.499 | 2.578 | 2.497 | 66.261 | 170.820858 | 44-05-08 | 3.589 |
| 2264 (/) | -63539.029 | -90564.878 | 32.626 | -34.379 | 34.379 | 1121.649254 | 313-30-05 | 47.396 |

TOTAL

2S 6498.494317

S 3249.247158

メータ 3249.247158 SQ METER

982.897265 リボ"

*** モニタ ケイラシ (/)

| NO | X | Y | DX | DY | D M D | 2S | A | L |
|-------------|------------|------------|---------|---------|--------|-------------|-----------|---------|
| 2264 (/) | -63539.029 | -90564.878 | | | | | | |
| 2265 (<) | -63539.417 | -90568.926 | -0.388 | -4.048 | -4.048 | 1.570624 | 264-31-30 | 4.067v |
| 2266 (ω) | -63539.423 | -90569.086 | -0.006 | -0.160 | -8.256 | 0.049536 | 267-51-09 | 0.160v |
| 2301 (ωδ) | -63550.240 | -90557.872 | -10.817 | 11.214 | 2.798 | -30.265966 | 133-58-03 | 15.581v |
| 2299 (ωδ) | -63574.233 | -90532.996 | -23.993 | 24.876 | 38.888 | -933.039784 | 133-57-53 | 34.561v |
| 2300 (ωγ) | -63571.655 | -90530.499 | 2.578 | 2.497 | 66.261 | 170.820858 | 44-05-08 | 3.589v |
| 2264 (/) | -63539.029 | -90564.878 | 32.626 | -34.379 | 34.379 | 1121.649254 | 313-30-05 | 47.396v |

TOTAL
 2S 330.784522
 S 165.392261

 モニタ 165.392261 SQ METER
 50.031158 ユツホ"

*** モニタ ケイラシ (ε)

| NO | X | Y | DX | DY | D M D | 2S | A | L |
|-------------|------------|------------|---------|---------|--------|-------------|-----------|---------|
| 2301 (ωδ) | -63550.240 | -90557.872 | | | | | | |
| 2302 (ωρ) | -63553.196 | -90560.743 | -2.956 | -2.871 | -2.871 | 8.486676 | 224-09-51 | 4.121v |
| 2298 (ωρ) | -63577.279 | -90535.946 | -24.083 | 24.797 | 19.055 | -458.901565 | 134-09-47 | 34.567v |
| 2299 (ωρ) | -63574.233 | -90532.996 | 3.046 | 2.950 | 46.802 | 142.558892 | 44-04-58 | 4.240v |
| 2301 (ωδ) | -63550.240 | -90557.872 | 23.993 | -24.876 | 24.876 | 596.849868 | 313-57-53 | 34.561v |

TOTAL
 2S 288.993871
 S 144.496935

 モニタ 144.496935 SQ METER
 43.710322 ユツホ"

*** メンキ ケイザン (W)

| NO | | X | Y | DX | DY | D M D | 2S | A | L |
|------|-------|------------|------------|---------|---------|--------|------------|-----------|---------|
| 2266 | (✓) | -63539.423 | -90569.086 | -0.400 | -2.418 | -2.418 | 0.967200 | 260-36-25 | 2.451✓ |
| 2267 | (✗) | -63539.823 | -90571.504 | -1.098 | -1.896 | -6.732 | 7.391736 | 239-55-27 | 2.191✓ |
| 2268 | (✓) | -63540.921 | -90573.400 | -12.275 | 12.657 | 4.029 | -49.455975 | 134-07-20 | 17.632✓ |
| 2302 | (✓) | -63553.196 | -90560.743 | 2.956 | 2.871 | 19.557 | 57.810492 | 44-09-51 | 4.121✓ |
| 2301 | (✓) | -63550.240 | -90557.872 | 10.817 | -11.214 | 11.214 | 121.301838 | 313-58-03 | 15.581✓ |
| 2266 | (W) | -63539.423 | -90569.086 | | | | | | |

TOTAL

2S 138.015291
S 69.007645

メンキ 69.007645/ SQ METER

20.874812 ツホ"

*** マルチ ケイソウ (4)

| NO | X | Y | DX | DY | D M D | 2S | A | L |
|-------------|------------|------------|---------|---------|---------|-------------|-----------|---------|
| 2268 (✓) | -63540.921 | -90573.400 | | | | | | |
| 2269 (6) | -63545.810 | -90578.821 | -4.889 | -5.421 | -5.421 | 26.503269 | 227-57-14 | 7.300√ |
| 2270 (7) | -63549.789 | -90582.198 | -3.979 | -3.377 | -14.219 | 56.577401 | 220-19-17 | 5.219√ |
| 2297 (24) | -63586.071 | -90544.462 | -36.282 | 37.736 | 20.140 | -730.719480 | 133-52-29 | 52.349√ |
| 2298 (25) | -63577.279 | -90535.946 | 8.792 | 8.516 | 66.392 | 583.718464 | 44-05-11 | 12.240√ |
| 2302 (28) | -63553.196 | -90560.743 | 24.083 | -24.797 | 50.111 | 1206.823213 | 314-09-47 | 34.567√ |
| 2268 (✓) | -63540.921 | -90573.400 | 12.275 | -12.657 | 12.657 | 155.364675 | 314-07-20 | 17.632√ |

TOTAL

2S 1298.267542

S 649.133771

マルチ 649.133771√ SQ METER

196.362965 ユボ"

*** メンキ クイック (7)

| NO | X | Y | DX | DY | D M D | 2S | A | L |
|------------|------------|------------|---------|---------|--------|--------------|-----------|---------|
| 2270 (7) | -63549.789 | -90582.198 | | | | | | |
| 2271 (7) | -63552.222 | -90584.263 | -2.433 | -2.065 | -2.065 | 5.024145 | 220-19-22 | 3.191✓ |
| 2296 (7) | -63588.362 | -90546.681 | -36.140 | 37.582 | 37.452 | -1208.955280 | 133-52-46 | 52.139✓ |
| 2297 (7) | -63586.071 | -90544.462 | 2.291 | 2.219 | 73.253 | 167.822623 | 44-05-07 | 3.189✓ |
| 2270 (7) | -63549.789 | -90582.198 | 36.282 | -37.736 | 37.736 | 1369.137552 | 313-52-29 | 52.349✓ |

TOTAL

2S 333.029040

S 166.514520

メンキ 166.514520 ✓ SQ METER

50.370642 ユホ"

*** メンキ クイック (6)

| NO | X | Y | DX | DY | D M D | 2S | A | L |
|------------|------------|------------|---------|---------|--------|--------------|-----------|---------|
| 2271 (6) | -63552.222 | -90584.263 | | | | | | |
| 2272 (6) | -63555.445 | -90586.998 | -3.223 | -2.735 | -2.735 | 8.814905 | 220-19-03 | 4.227✓ |
| 2295 (6) | -63591.114 | -90549.345 | -35.669 | 37.653 | 32.183 | -1147.935427 | 133-27-00 | 51.865✓ |
| 2296 (6) | -63588.362 | -90546.681 | 2.752 | 2.664 | 72.500 | 199.520000 | 44-04-09 | 3.830✓ |
| 2271 (6) | -63552.222 | -90584.263 | 36.140 | -37.582 | 37.582 | 1358.213480 | 313-52-46 | 52.139✓ |

TOTAL

2S 418.612958

S 209.306479

メンキ 209.306479 ✓ SQ METER

63.315209 ユホ"

*** メンピキ ケイサン (7)

| NO | X | Y | DX | DY | D M D | 2S | A | L |
|-------------|------------|------------|---------|---------|--------|--------------|-----------|---------|
| 2272 (7) | -63555.445 | -90586.998 | | | | | | |
| 2273 (10) | -63558.580 | -90589.659 | -3.135 | -2.661 | -2.661 | 8.342235 | 220-19-29 | 4.112✓ |
| 2294 (10) | -63594.325 | -90552.455 | -35.745 | 37.204 | 31.882 | -1139.622090 | 133-51-15 | 51.593✓ |
| 2295 (10) | -63591.114 | -90549.345 | 3.211 | 3.110 | 72.196 | 231.821356 | 44-05-04 | 4.470✓ |
| 2272 (7) | -63555.445 | -90586.998 | 35.669 | -37.653 | 37.653 | 1343.044857 | 313-27-00 | 51.865✓ |

TOTAL
 2S 443.586358
 S 221.793179

 メンピキ 221.793179 ✓ SQ METER
 67.092436 ツホ"

*** メンピキ ケイサン (8)

| NO | X | Y | DX | DY | D M D | 2S | A | L |
|-------------|------------|------------|---------|---------|--------|--------------|-----------|---------|
| 2273 (10) | -63558.580 | -90589.659 | | | | | | |
| 2274 (11) | -63563.448 | -90593.790 | -4.868 | -4.131 | -4.131 | 20.109708 | 220-19-05 | 6.385✓ |
| 2293 (10) | -63597.633 | -90555.660 | -34.185 | 38.130 | 29.868 | -1021.037580 | 131-52-39 | 51.210✓ |
| 2294 (10) | -63594.325 | -90552.455 | 3.308 | 3.205 | 71.203 | 235.539524 | 44-05-38 | 4.606✓ |
| 2273 (10) | -63558.580 | -90589.659 | 35.745 | -37.204 | 37.204 | 1329.856980 | 313-51-15 | 51.593✓ |

TOTAL
 2S 564.468632
 S 282.234316

 メンピキ 282.234316 ✓ SQ METER
 85.375880 ツホ"

*** 木口板 割出し (P)

| NO | X | Y | DX | DY | D M D | 2S | A | L |
|-------------|------------|------------|---------|---------|--------|--------------|-----------|---------|
| 2274 (//) | -63563.448 | -90593.790 | | | | | | |
| 2275 (/2) | -63566.660 | -90596.517 | -3.212 | -2.727 | -2.727 | 8.759124 | 220-19-53 | 4.213v |
| 2292 (2P) | -63600.236 | -90558.180 | -33.576 | 38.337 | 32.883 | -1104.079608 | 131-12-44 | 50.961v |
| 2293 (10) | -63597.633 | -90555.660 | 2.603 | 2.520 | 73.740 | 191.945220 | 44-04-19 | 3.623v |
| 2274 (//) | -63563.448 | -90593.790 | 34.185 | -38.130 | 38.130 | 1303.474050 | 311-52-39 | 51.210v |

TOTAL
 2S 400.098786
 S 200.049393

 木口板 200.049393v SQ METER
 60.514941 ユホ"

*** 木口板 割出し (10)

| NO | X | Y | DX | DY | D M D | 2S | A | L |
|-------------|------------|------------|---------|---------|--------|-------------|-----------|---------|
| 2275 (/2) | -63566.660 | -90596.517 | | | | | | |
| 2276 (10) | -63569.431 | -90598.868 | -2.771 | -2.351 | -2.351 | 6.514621 | 220-18-44 | 3.634v |
| 2303 (12) | -63571.955 | -90595.943 | -2.524 | 2.925 | -1.777 | 4.485148 | 130-47-28 | 3.863v |
| 2316 (12) | -63584.859 | -90580.989 | -12.904 | 14.954 | 16.102 | -207.780208 | 130-47-29 | 19.752v |
| 2291 (28) | -63602.808 | -90560.671 | -17.949 | 20.318 | 51.374 | -922.111926 | 131-27-27 | 27.111v |
| 2292 (2P) | -63600.236 | -90558.180 | 2.572 | 2.491 | 74.183 | 190.798676 | 44-05-00 | 3.581v |
| 2275 (/2) | -63566.660 | -90596.517 | 33.576 | -38.337 | 38.337 | 1287.203112 | 311-12-44 | 50.961v |

TOTAL
 2S 359.109423
 S 179.554711

 木口板 179.554711v SQ METER
 54.315300 ユホ"

*** マルチタイラコ (11-A)

| NO | X | Y | DX | DY | D M D | 2S | A | L |
|-------------|------------|------------|---------|---------|--------|-------------|-----------|---------------------|
| 2303 (42) | -63571.955 | -90595.943 | | | | | | |
| 2304 (46) | -63574.910 | -90598.450 | -2.955 | -2.507 | -2.507 | 7.408185 | 220-18-40 | 3.875 _v |
| 2305 (48) | -63584.934 | -90586.850 | -10.024 | 11.600 | 6.586 | -66.018064 | 130-49-54 | 15.331 _v |
| 2306 (49) | -63584.783 | -90586.729 | 0.151 | 0.121 | 18.307 | 2.764357 | 38-42-22 | 0.193 _v |
| 2307 (40) | -63587.630 | -90583.447 | -2.847 | 3.282 | 21.710 | -61.808370 | 130-56-25 | 4.345 _v |
| 2290 (27) | -63605.418 | -90563.199 | -17.788 | 20.248 | 45.240 | -804.729120 | 131-17-58 | 26.952 _v |
| 2291 (28) | -63602.808 | -90560.671 | 2.610 | 2.528 | 68.016 | 177.521760 | 44-05-08 | 3.634 _v |
| 2316 (47) | -63584.859 | -90580.989 | 17.949 | -20.318 | 50.226 | 901.506474 | 311-27-27 | 27.111 _v |
| 2303 (42) | -63571.955 | -90595.943 | 12.904 | -14.954 | 14.954 | 192.966416 | 310-47-29 | 19.752 _v |

TOTAL

2S 349.611638
S 174.805819

マルチ 174.805819_v SQ METER

52.878760 ツボ

*** マルチタイラコ (11-B)

| NO | X | Y | DX | DY | D M D | 2S | A | L |
|-------------|------------|------------|--------|--------|--------|----------|-----------|--------------------|
| 2276 (40) | -63569.431 | -90598.868 | | | | | | |
| 2277 (41) | -63572.384 | -90601.374 | -2.953 | -2.506 | -2.506 | 7.400218 | 220-19-08 | 3.873 _v |
| 2304 (46) | -63574.910 | -90598.450 | -2.526 | 2.924 | -2.088 | 5.274288 | 130-49-24 | 3.864 _v |
| 2303 (42) | -63571.955 | -90595.943 | 2.955 | 2.507 | 3.343 | 9.878565 | 40-18-40 | 3.875 _v |
| 2276 (40) | -63569.431 | -90598.868 | 2.524 | -2.925 | 2.925 | 7.382700 | 310-47-28 | 3.863 _v |

TOTAL

2S 29.935771
S 14.967885

マルチ 14.967885_v SQ METER

4.527785 ツボ

*** メンピキ ケイサン (12)

| NO | | X | Y | DX | DY | D M D | 2S | A | L |
|------|--------|------------|------------|---------|---------|--------|-------------|-----------|---------|
| 2277 | (14) | -63572.384 | -90601.374 | | | | | | |
| | | | | -2.630 | -2.232 | -2.232 | 5.870160 | 220-19-13 | 3.449✓ |
| 2278 | (14) | -63575.014 | -90603.606 | | | | | | |
| | | | | -2.534 | 3.107 | -1.357 | 3.438638 | 129-12-00 | 4.009✓ |
| 2315 | (41) | -63577.548 | -90600.499 | | | | | | |
| | | | | -0.185 | 0.223 | 1.973 | -0.365005 | 129-40-44 | 0.290✓ |
| 2314 | (41) | -63577.733 | -90600.276 | | | | | | |
| | | | | -3.014 | 3.660 | 5.856 | -17.649984 | 129-28-17 | 4.741✓ |
| 2313 | (42) | -63580.747 | -90596.616 | | | | | | |
| | | | | -9.708 | -7.987 | 1.529 | -14.843532 | 219-26-42 | 12.571✓ |
| 2282 | (19) | -63590.455 | -90604.603 | | | | | | |
| | | | | -5.028 | 6.109 | -0.349 | 1.754772 | 129-27-22 | 7.912✓ |
| 2283 | (20) | -63595.483 | -90598.494 | | | | | | |
| | | | | 6.401 | 5.486 | 11.246 | 71.985646 | 40-35-54 | 8.430✓ |
| 2311 | (40) | -63589.082 | -90593.008 | | | | | | |
| | | | | -3.975 | 4.664 | 21.396 | -85.049100 | 130-26-24 | 6.128✓ |
| 2312 | (42) | -63593.057 | -90588.344 | | | | | | |
| | | | | -1.678 | 1.969 | 28.029 | -47.032662 | 130-26-17 | 2.587✓ |
| 2308 | (41) | -63594.735 | -90586.375 | | | | | | |
| | | | | -15.650 | 18.365 | 48.363 | -756.880950 | 130-26-11 | 24.129✓ |
| 2289 | (26) | -63610.385 | -90568.010 | | | | | | |
| | | | | 4.967 | 4.811 | 71.539 | 355.334213 | 44-05-09 | 6.915✓ |
| 2290 | (27) | -63605.418 | -90563.199 | | | | | | |
| | | | | 17.788 | -20.248 | 56.102 | 997.942376 | 311-17-58 | 26.952✓ |
| 2307 | (40) | -63587.630 | -90583.447 | | | | | | |
| | | | | 2.847 | -3.282 | 32.572 | 92.732484 | 310-56-25 | 4.345✓ |
| 2306 | (41) | -63584.783 | -90586.729 | | | | | | |
| | | | | -0.151 | -0.121 | 29.169 | -4.404519 | 218-42-22 | 0.193✓ |
| 2305 | (48) | -63584.934 | -90586.850 | | | | | | |
| | | | | 10.024 | -11.600 | 17.448 | 174.898752 | 310-49-54 | 15.331✓ |
| 2304 | (40) | -63574.910 | -90598.450 | | | | | | |
| | | | | 2.526 | -2.924 | 2.924 | 7.386024 | 310-49-24 | 3.864✓ |
| 2277 | (14) | -63572.384 | -90601.374 | | | | | | |

TOTAL

2S 785.117313

S 392.558656

メンピキ 392.558656✓ SQ METER

118.748993 ッホ"

*** メンキ ケイソウ (16)

| NO | X | Y | DX | DY | D M D | 2S | A | L |
|-------------|------------|------------|--------|---------|--------|-------------|-----------|---------|
| 2308 (4✓) | -63594.735 | -90586.375 | | | | | | |
| 2309 (46) | -63597.608 | -90588.709 | -2.873 | -2.334 | -2.334 | 6.705582 | 219-05-24 | 3.702✓ |
| 2310 (✓) | -63605.119 | -90579.867 | -7.511 | 8.842 | 4.174 | -31.350914 | 130-20-49 | 11.602✓ |
| 2288 (2✓) | -63613.164 | -90570.702 | -8.045 | 9.165 | 22.181 | -178.446145 | 131-16-36 | 12.195✓ |
| 2289 (26) | -63610.385 | -90568.010 | 2.779 | 2.692 | 34.038 | 94.591602 | 44-05-20 | 3.869✓ |
| 2308 (4✓) | -63594.735 | -90586.375 | 15.650 | -18.365 | 18.365 | 287.412250 | 310-26-11 | 24.129✓ |

TOTAL

2S 178.912375
S 89.456187

メンキ 89.456187✓ SQ METER

27.060496 ッホ"

*** メンキ ケイソウ (14)

| NO | X | Y | DX | DY | D M D | 2S | A | L |
|-------------|------------|------------|---------|--------|--------|-------------|-----------|---------|
| 2309 (46) | -63597.608 | -90588.709 | | | | | | |
| 2285 (22) | -63601.161 | -90591.594 | -3.553 | -2.885 | -2.885 | 10.250405 | 219-04-34 | 4.577✓ |
| 2286 (28) | -63615.100 | -90574.658 | -13.939 | 16.936 | 11.166 | -155.642874 | 129-27-21 | 21.935✓ |
| 2287 (24) | -63614.976 | -90572.457 | 0.124 | 2.201 | 30.303 | 3.757572 | 86-46-32 | 2.204✓ |
| 2288 (2✓) | -63613.164 | -90570.702 | 1.812 | 1.755 | 34.259 | 62.077308 | 44-05-04 | 2.523✓ |
| 2310 (✓) | -63605.119 | -90579.867 | 8.045 | -9.165 | 26.849 | 216.000205 | 311-16-36 | 12.195✓ |
| 2309 (46) | -63597.608 | -90588.709 | .511 | -8.842 | 8.842 | 66.412262 | 310-20-49 | 11.602✓ |

TOTAL

2S 202.854878
S 101.427439

メンキ 101.427439✓ SQ METER

30.681800 ッホ"

*** マンホール (15)

| NO | X | Y | DX | DY | D M D | 2S | A | L |
|-------------|------------|------------|--------|--------|--------|------------|-----------|--------|
| 2312 (44) | -63593.057 | -90588.344 | | | | | | |
| | | | -6.321 | -5.418 | -5.418 | 34.247178 | 220-36-05 | 8.325√ |
| 2284 (21) | -63599.378 | -90593.762 | | | | | | |
| | | | -1.783 | 2.168 | -8.668 | 15.455044 | 129-26-04 | 2.807√ |
| 2285 (22) | -63601.161 | -90591.594 | | | | | | |
| | | | 3.553 | 2.885 | -3.615 | -12.844095 | 39-04-34 | 4.577√ |
| 2309 (46) | -63597.608 | -90588.709 | | | | | | |
| | | | 2.873 | 2.334 | 1.604 | 4.608292 | 39-05-24 | 3.702√ |
| 2308 (47) | -63594.735 | -90586.375 | | | | | | |
| | | | 1.678 | -1.969 | 1.969 | 3.303982 | 310-26-17 | 2.587√ |
| 2312 (44) | -63593.057 | -90588.344 | | | | | | |

TOTAL

2S 44.770401
S 22.385200

マンホール 22.385200√ SQ METER

6.771523 ユニット

*** マンホール (16)

| NO | X | Y | DX | DY | D M D | 2S | A | L |
|-------------|------------|------------|--------|--------|--------|-----------|-----------|--------|
| 2311 (40) | -63589.082 | -90593.008 | | | | | | |
| | | | -6.401 | -5.486 | -5.486 | 35.115886 | 220-35-54 | 8.430√ |
| 2283 (20) | -63595.483 | -90598.494 | | | | | | |
| | | | -3.895 | 4.732 | -6.240 | 24.304800 | 129-27-30 | 6.129√ |
| 2284 (21) | -63599.378 | -90593.762 | | | | | | |
| | | | 6.321 | 5.418 | 3.910 | 24.715110 | 40-36-05 | 8.325√ |
| 2312 (44) | -63593.057 | -90588.344 | | | | | | |
| | | | 3.975 | -4.664 | 4.664 | 18.539400 | 310-26-24 | 6.128√ |
| 2311 (40) | -63589.082 | -90593.008 | | | | | | |

TOTAL

2S 102.675196
S 51.337598

マンホール 51.337598√ SQ METER

15.529623 ユニット

*** メンキ ケイサン (17)

| NO | X | Y | DX | DY | D M D | 2S | A | L |
|-------------|------------|------------|--------|--------|---------|-----------|-----------|---------|
| 2314 (✓) | -63577.733 | -90600.276 | | | | | | |
| 2281 (10) | -63587.444 | -90608.260 | -9.711 | -7.984 | -7.984 | 77.532624 | 219-25-32 | 12.572v |
| 2282 (19) | -63590.455 | -90604.603 | -3.011 | 3.657 | -12.311 | 37.068421 | 129-27-59 | 4.737v |
| 2313 (42) | -63580.747 | -90596.616 | 9.708 | 7.987 | -0.667 | -6.475236 | 39-26-42 | 12.571v |
| 2314 (✓) | -63577.733 | -90600.276 | 3.014 | -3.660 | 3.660 | 11.031240 | 309-28-17 | 4.741v |

TOTAL
 2S 119.157049
 S 59.578524

 メンキ 59.578524v SQ METER
 18.022503 ッホ"

*** メンキ ケイサン (10)

| NO | X | Y | DX | DY | D M D | 2S | A | L |
|-------------|------------|------------|--------|--------|---------|------------|-----------|---------|
| 2278 (✓) | -63575.014 | -90603.606 | | | | | | |
| 2279 (14) | -63584.588 | -90611.731 | -9.574 | -8.125 | -8.125 | 77.788750 | 220-19-11 | 12.557v |
| 2280 (6) | -63587.260 | -90608.484 | -2.672 | 3.247 | -13.003 | 34.744016 | 129-27-05 | 4.205v |
| 2315 (17) | -63577.548 | -90600.499 | 9.712 | 7.985 | -1.771 | -17.199952 | 39-25-35 | 12.573 |
| 2278 (✓) | -63575.014 | -90603.606 | 2.534 | -3.107 | 3.107 | 7.873138 | 309-12-00 | 4.009v |

TOTAL
 2S 103.205952
 S 51.602976

 メンキ 51.602976v SQ METER
 15.609900 ッホ"

*** 測点データ (1P)

| NO | X | Y | DX | DY | D.M.D | 2S | A | L |
|-------------|------------|------------|--------|--------|---------|------------|-----------|---------|
| 2315 (4/) | -63577.548 | -90600.499 | -9.712 | -7.985 | -7.985 | 77.550320 | 219-25-35 | 12.573 |
| 2280 (17) | -63587.260 | -90608.484 | -0.184 | 0.224 | -15.746 | 2.897264 | 129-24-02 | 0.290v |
| 2281 (18) | -63587.444 | -90608.260 | 9.711 | 7.984 | -7.538 | -73.201518 | 39-25-32 | 12.572v |
| 2314 (4/) | -63577.733 | -90600.276 | 0.185 | -0.223 | 0.223 | 0.041255 | 309-40-44 | 0.290v |
| 2315 (4/) | -63577.548 | -90600.499 | | | | | | |

TOTAL

2S 7.287321

S 3.643660

測点 3.643660V SQ METER

1.102207 ユニ