

街 区 地 原 子 一 覽 表 (18 街 区)



計算面積 = m²
 角切面積 =
 換地面積 =



18
街
区

*** マゼタ クイック (18街区)

NO	X	Y	DX	DY	D M D	2S	A	L
1944 (/)	-63446.907	-90746.490						
1945 (<)	-63476.167	-90773.144	-29.260	-26.654	-26.654	779.896040	222-19-54	39.580
1946 (0)	-63512.547	-90806.251	-36.380	-33.107	-36.415	3143.777700	222-18-12	49.189
1947 (<)	-63519.101	-90799.052	-6.554	7.199	-112.323	736.164942	132-18-53	9.736
1948 (✓)	-63525.618	-90791.890	-6.517	7.162	-97.962	638.418354	132-18-01	9.683
1949 (6)	-63527.759	-90789.469	-2.141	2.421	-88.379	139.219439	131-29-16	3.232
1950 (7)	-63533.162	-90783.304	-5.403	6.165	-79.793	431.121579	131-13-53	8.198
1951 (8)	-63534.617	-90781.511	-1.455	1.793	-71.835	104.519925	129-03-32	2.309
1952 (9)	-63537.370	-90778.120	-2.753	3.391	-66.651	183.490203	129-04-18	4.368
1953 (10)	-63540.616	-90774.066	-3.246	4.054	-59.206	192.182676	128-41-02	5.193
1954 (11)	-63546.284	-90766.444	-5.668	7.622	-47.530	269.400040	126-38-09	9.498
1955 (12)	-63547.484	-90764.823	-1.200	1.621	-38.287	45.944400	126-30-43	2.017
1956 (13)	-63548.602	-90763.179	-1.118	1.644	-35.022	39.154596	124-13-03	1.988
1957 (14)	-63550.885	-90759.819	-2.283	3.360	-30.018	68.531094	124-11-41	4.062
1958 (15)	-63553.846	-90755.482	-2.961	4.337	-22.321	66.092481	124-19-21	5.251
1959 (16)	-63562.998	-90741.473	-9.152	14.009	-3.975	36.379200	123-09-23	16.734
1960 (17)	-63562.236	-90732.834	0.762	8.639	18.673	14.228826	84-57-33	8.673
1961 (18)	-63548.769	-90718.659	13.467	14.175	41.487	558.705429	46-28-02	19.552
1962 (19)	-63529.008	-90697.859	19.761	20.800	76.462	1510.965582	46-28-02	28.690
1963 (20)	-63523.426	-90691.972	5.582	5.887	103.149	575.777718	46-31-24	8.113
1964 (21)	-63506.099	-90673.718	17.327	18.254	127.290	2205.553830	46-29-33	25.168
			18.702	-21.765	123.779	2314.914658	310-40-17	28.696

NO	X	Y	DX	DY	D M D	2S	A	L
1965 (28 20)	-63487.397	-90695.483	17.828	-20.805	81.209	1447.794052	310-35-37	27.399
1966 (28 24)	-63469.569	-90716.288	17.153	-19.953	40.451	693.856003	310-41-05	28.312
1967 (24 24)	-63452.416	-90736.241	5.763	-6.658	13.840	79.759920	310-52-43	8.806
1968 (24 26)	-63446.653	-90742.899	-0.254	-3.591	3.591	-0.912114	265-57-15	3.600
1944 (/)	-63446.907	-90746.490						

TOTAL

2S 16324.936773

S 8162.468386

合計 8162.468386 SQ METER

2469.146686 ㎡

*** マンサウライラ (1-A)

NO	X	Y	DX	DY	D M D	ZS	A	L
1944 (/)	-63446.907	-90746.490						
1945 (z)	-63476.167	-90773.144	-29.260	-26.654	-26.654	779.896040	222-19-54	39.580√
1969 (27)	-63483.783	-90764.796	-7.616	8.348	-44.960	342.415360	132-22-29	11.300√
1967 (2√)	-63452.416	-90736.241	31.367	28.555	-8.057	-252.723919	42-18-48	42.418√
1968 (26)	-63446.653	-90742.899	5.763	-6.658	13.840	79.759920	310-52-43	8.806√
1944 (/)	-63446.907	-90746.490	-0.254	-3.591	3.591	-0.912114	265-57-15	3.600√

TOTAL
 ZS 948.435287
 S 474.217643

 マンサ 474.217643√ SQ METER
 143.450837 ㎡

*** マンサライラ (1-B)

NO	X	Y	DX	DY	D M D	ZS	A	L
1967 (2√)	-63452.416	-90736.241	-31.367	-28.555	-28.555	895.684685	222-18-48	42.418√
1969 (27)	-63483.783	-90764.796	-12.700	13.919	-43.191	548.525700	132-22-41	18.842√
1970 (2d)	-63496.483	-90750.877	-4.993	5.487	-23.785	118.758505	132-18-04	7.419√
1972 (2o)	-63501.476	-90745.390	31.907	29.102	10.804	344.723228	42-22-03	43.185√
1966 (26)	-63469.569	-90716.288	17.153	-19.953	19.953	342.253809	310-41-05	26.312√
1967 (2√)	-63452.416	-90736.241						

TOTAL
 ZS 2249.945927
 S 1124.972963

 マンサ 1124.972963√ SQ METER
 340.304321 ㎡

*** 2-1 (2-1)

NO	X	Y	DX	DY	D M D	2S	A	L
1966 (24)	-63469.569	-90716.288						
1972 (50)	-63501.476	-90745.390	-31.907	-29.102	-29.102	923.557514	222-22-03	43.185V
1973 (5 /)	-63504.475	-90748.123	-2.999	-2.733	-60.937	182.750063	222-20-35	4.057V
1974 (50)	-63513.997	-90737.024	-9.522	11.099	-52.571	500.581062	130-37-36	14.624V
1976 (24)	-63522.269	-90727.430	-8.272	9.594	-31.878	263.694816	130-46-05	12.668V
1965 (20)	-63487.397	-90695.483	34.872	31.947	9.663	336.968136	42-29-37	47.293V
1966 (24)	-63469.569	-90716.288	17.828	-20.805	20.805	370.911540	310-35-37	27.399V

TOTAL
 2S 2583.463131
 S 1291.731565

 2S 1291.731565 SQ METER
 390.748798 ㎡

*** 2-9 (2-9)

NO	X	Y	DX	DY	D M D	2S	A	L
1973 (5 /)	-63504.475	-90748.123						
1985 (50)	-63507.412	-90750.799	-2.937	-2.676	-2.676	7.859412	222-20-16	3.973V
1979 (40)	-63517.262	-90739.999	-9.850	10.800	5.448	-53.662800	132-21-58	14.617V
1974 (50)	-63513.997	-90737.024	3.265	2.975	19.223	62.763095	42-20-21	4.417V
1973 (5 /)	-63504.475	-90748.123	9.522	-11.099	11.099	105.684678	310-37-36	14.624V

TOTAL
 2S 122.644385
 S 61.322192

 2S 61.322192 SQ METER
 18.549963 ㎡

*** 変位データ (ω)

NO	X	Y	DX	DY	D.M.D	2S	A	L
1965 (ω)	-63487.397	-90695.483						
1978 (4P)	-63503.886	-90710.589	-16.489	-15.106	-15.106	249.082834	222-29-37	22.362✓
1963 (ω)	-63523.426	-90691.972	-19.540	18.617	-11.595	226.566300	136-23-08	26.989✓
1964 (ω)	-63506.099	-90673.718	17.327	18.254	25.276	437.957252	46-29-33	25.168✓
1965 (ω)	-63487.397	-90695.483	18.702	-21.765	21.765	407.049030	310-40-17	28.696✓

TOTAL
 2S 1320.655416
 S 660.327708

 変位 660.327708✓ SQ METER
 199.749131 ヴ

*** 変位データ (4)

NO	X	Y	DX	DY	D.M.D	2S	A	L
1978 (4P)	-63503.886	-90710.589						
1977 (4P)	-63509.840	-90716.044	-5.954	-5.455	-5.455	32.479070	222-29-44	8.075✓
1962 (4B)	-63529.008	-90697.859	-19.168	18.185	7.275	-139.447200	136-30-27	26.422✓
1963 (ω)	-63523.426	-90691.972	5.582	5.887	31.347	174.978954	46-31-24	8.113✓
1978 (4P)	-63503.886	-90710.589	19.540	-18.617	18.617	363.776180	316-23-08	26.989✓

TOTAL
 2S 431.787004
 S 215.893502

 変位 215.893502✓ SQ METER
 65.307784 ヴ

*** メンテナンス (F-A)

NO	X	Y	DX	DY	D M D	2S	A	L
1977 (48)	-63509.840	-90716.044						
1976 (47)	-63522.269	-90727.430	-12.429	-11.386	-11.386	141.516594	222-29-32	16.856 ✓
1975 (44)	-63517.622	-90732.819	4.647	-5.389	-28.161	-130.864167	310-46-18	7.116 ✓
1983 (47)	-63525.734	-90740.179	-8.112	-7.360	-40.910	331.861920	222-13-03	10.953 ✓
1984 (46)	-63527.521	-90738.509	-1.787	1.670	-46.600	83.274200	136-56-18	2.446 ✓
1961 (1P)	-63548.769	-90718.659	-21.248	19.850	-25.080	532.899840	136-56-54	29.077 ✓
1962 (20)	-63529.008	-90697.859	19.761	20.800	15.570	307.678770	46-28-02	28.690 ✓
1977 (48)	-63509.840	-90716.044	19.168	-18.185	18.185	348.570080	316-30-27	26.422 ✓

TOTAL

2S 1614.937237
S 807.468618

合計 807.468618 ✓ SQ METER

244.259257 歩本

*** 測点一覧 (K-B)

NO		X	Y	DX	DY	D.M.D	ZS	A	L
1974	(WP)	-63513.997	-90737.024						
1981	(42)	-63536.807	-90757.809	-22.810	-20.785	-20.785	474.105850	222-20-26	30.860V
1982	(44)	-63539.476	-90754.879	-2.669	2.930	-38.640	103.130160	132-19-52	3.963V
1956	(14)	-63548.602	-90763.179	-9.126	-8.300	-44.010	401.635260	222-17-10	12.336V
1957	(15)	-63550.885	-90759.819	-2.283	3.360	-48.950	111.752850	124-11-41	4.062V
1984	(46)	-63527.521	-90738.509	23.364	21.310	-24.280	-567.277920	42-22-03	31.623V
1983	(45)	-63525.734	-90740.179	1.787	-1.670	-4.640	-8.291680	316-56-18	2.446V
1975	(44)	-63517.622	-90732.819	8.112	7.360	1.050	8.517600	42-13-03	10.953V
1974	(WP)	-63513.997	-90737.024	3.625	-4.205	4.205	15.243125	310-45-49	5.552V

TOTAL

ZS 538.815245
S 269.407622

測点 269.407622V SQ METER

81.495805 ㎡

*** 不明なポイント (6)

NO	X	Y	DX	DY	D M D	ZS	A	L
1984 (46)	-63527.521	-90738.509						
			-23.364	-21.310	-21.310	497.886840	222-22-03	31.623✓
1957 (15)	-63550.885	-90759.819						
			-2.961	4.337	-38.283	113.355963	124-19-21	5.251✓
1958 (16)	-63553.846	-90755.482						
			-9.152	14.009	-19.937	182.463424	123-09-23	16.734✓
1959 (17)	-63562.998	-90741.473						
			0.762	8.639	2.711	2.065782	84-57-33	8.673✓
1960 (18)	-63562.236	-90732.834						
			13.467	14.175	25.525	343.745175	46-28-02	19.552✓
1961 (19)	-63548.769	-90718.659						
			21.248	-19.850	19.850	421.772800	316-56-54	29.077✓
1984 (46)	-63527.521	-90738.509						

TOTAL

ZS 1561.289984
S 780.644992

不明な 780.644992✓ SQ METER

236.145110 ユー

*** 不明なポイント (7)

NO	X	Y	DX	DY	D M D	ZS	A	L
1990 (26)	-63517.289	-90779.960						
			-10.470	-9.509	-9.509	99.559230	222-14-46	14.144✓
1949 (6)	-63527.759	-90789.469						
			-5.403	6.165	-12.853	69.444759	131-13-53	8.198✓
1950 (7)	-63533.162	-90783.304						
			10.306	9.405	2.717	28.001402	42-22-58	13.952✓
1987 (21)	-63522.856	-90773.899						
			0.490	-0.545	11.577	5.672730	311-57-29	0.733✓
1991 (27)	-63522.366	-90774.444						
			5.077	-5.516	5.516	28.004732	312-37-37	7.497✓
1990 (26)	-63517.289	-90779.960						

TOTAL

ZS 230.682853
S 115.341426

不明な 115.341426✓ SQ METER

34.890781 ユー

*** 測点 7170 (8)

NO	X	Y	DX	DY	D M D	2S	A	L
1971 (28)	-63498.530	-90748.628						
			-36.087	-32.883	-32.883	1186.648821	222-20-25	48.822✓
1951 (8)	-63534.617	-90781.511						
			-2.753	3.391	-62.375	171.718375	129-04-18	4.368✓
1952 (10)	-63537.370	-90778.120						
			28.684	26.157	-32.827	-941.609668	42-21-42	38.820✓
1986 (22)	-63508.686	-90751.963						
			-9.839	10.813	4.143	-40.762977	132-17-59	14.619✓
1980 (41)	-63518.525	-90741.150						
			1.263	1.151	16.107	20.343141	42-20-37	1.709✓
1979 (40)	-63517.262	-90739.999						
			9.850	-10.800	6.458	63.611300	312-21-58	14.617✓
1985 (22)	-63507.412	-90750.799						
			2.937	2.676	-1.666	-4.893042	42-20-16	3.973✓
1973 (21)	-63504.475	-90748.123						
			2.999	2.733	3.743	11.225257	42-20-35	4.057✓
1972 (20)	-63501.476	-90745.390						
			2.946	-3.238	3.238	9.539148	312-17-48	4.378✓
1971 (29)	-63498.530	-90748.628						

TOTAL

2S 475.820355
S 237.910177

測点 237.910177✓ SQ METER

71.967828 ユニ

*** 測点 7170 (9)

NO	X	Y	DX	DY	D M D	2S	A	L
1970 (28)	-63496.483	-90750.877						
			-25.883	-23.567	-23.567	609.984661	222-19-07	35.005✓
1991 (27)	-63522.366	-90774.444						
			-0.490	0.545	-46.589	22.828610	131-57-29	0.733✓
1987 (28)	-63522.856	-90773.899						
			-10.306	-9.405	-55.449	571.457394	222-22-58	13.952✓
1950 (7)	-63533.162	-90783.304						
			-1.455	1.793	-63.061	91.753755	129-03-32	2.309✓
1951 (8)	-63534.617	-90781.511						
			36.087	32.883	-28.385	-1024.329495	42-20-25	48.822✓
1971 (29)	-63498.530	-90748.628						
			2.047	-2.249	2.249	4.603703	312-18-28	3.041✓
1970 (28)	-63496.483	-90750.877						

TOTAL

2S 276.298628
S 138.149314

測点 138.149314✓ SQ METER

41.790167 ユニ

*** 点検ポイント (/ 〇)

NO		X	Y	DX	DY	D M D	ZS	A	L
1981	(42)	-63536.807	-90757.809						
1954	(12)	-63546.284	-90766.444	-9.477	-8.635	-8.635	81.833895	222-20-18	12.821✓
1955	(10)	-63547.484	-90764.823	-1.200	1.621	-15.649	13.778800	126-30-43	2.017✓
1956	(14)	-63548.602	-90763.179	-1.118	1.644	-12.384	13.845312	124-13-03	1.988✓
1982	(44)	-63539.476	-90754.879	9.126	8.300	-2.440	-22.267440	42-17-10	12.336✓
1981	(42)	-63536.807	-90757.809	2.669	-2.930	2.930	7.820170	312-19-52	3.963✓

TOTAL
 ZS 100.010737
 S 50.005368

 点検 50.005368✓ SQ METER
 15.126623 ㎡

*** 点検ポイント (//)

NO		X	Y	DX	DY	D M D	ZS	A	L
1986	(ωω)	-63508.686	-90751.963						
1952	(10)	-63537.370	-90778.120	-28.684	-26.157	-26.157	750.287388	222-21-42	38.820✓
1953	(//)	-63540.616	-90774.066	-3.246	4.054	-48.260	156.651960	128-41-02	5.193✓
1954	(12)	-63546.284	-90766.444	-5.668	7.622	-36.584	207.358112	126-38-09	9.498✓
1980	(41)	-63518.525	-90741.150	27.759	25.294	-3.668	-101.820012	42-20-23	37.555
1986	(ωω)	-63508.686	-90751.963	9.839	-10.813	10.813	106.389107	3-2-17-59	14.619✓

TOTAL
 ZS 1118.866555
 S 559.433277

 点検 559.433277✓ SQ METER
 169.223566 ㎡

*** 2011 91155 (12)

NO	X	Y	DX	DY	D.M.D	2S	A	L
1988 (24)	-63506.272	-90787.492						
1947 (4)	-63519.101	-90799.052	-12.829	-11.560	-11.560	148.303240	222-01-17	17.269v
1948 (4)	-63525.618	-90791.890	-6.517	7.162	-15.953	103.998286	132-18-01	9.683v
1949 (6)	-63527.759	-90789.469	-2.141	2.421	-6.375	13.648875	131-29-16	3.232v
1990 (26)	-63517.289	-90779.960	10.470	9.509	5.555	58.160850	42-14-46	14.144v
1989 (24)	-63515.101	-90777.950	2.188	2.010	17.074	37.357912	42-34-19	2.971v
1988 (24)	-63506.272	-90787.492	8.829	-9.542	9.542	84.246318	312-46-39	13.000v

TOTAL

2S 445.715481
S 222.857740

2011 222.857740 SQ METER

67.414466 24"

*** 測点リスト (4)

NO	X	Y	DX	DY	D.M.D	ZS	A	L
1945 (2)	-63476.167	-90773.144						
1946 (0)	-63512.547	-90806.251	-36.380	-33.107	-33.107	1204.432660	222-18-12	49.189✓
1947 (4)	-63519.101	-90799.052	-6.554	7.199	-59.015	386.784310	132-18-53	9.736✓
1988 (3)	-63506.272	-90787.492	12.829	11.560	-40.256	-516.444224	42-01-17	17.269✓
1989 (5)	-63515.101	-90777.950	-3.829	9.542	-19.154	169.110666	132-46-39	13.000✓
1990 (36)	-63517.289	-90779.960	-2.188	-2.010	-11.622	25.428936	222-34-19	2.971✓
1991 (37)	-63522.366	-90774.444	-5.077	5.516	-8.116	41.204932	132-37-37	7.497✓
1970 (3)	-63496.483	-90750.877	25.883	23.567	20.967	542.688861	42-19-07	35.005✓
1945 (2)	-63476.167	-90773.144	20.316	-22.267	22.267	452.376372	312-22-36	30.142

TOTAL

ZS 2305.582513
S 1152.791256

測点 1152.791256 SQ METER

348.719355 ユニ