

19 街区

*** 点検データ (19街区)

NO		X	Y	DX	DY	D M D	2S	A	L
301	(1)	-63374.643	-90826.717						
302	(2)	-63374.788	-90830.397	-0.145	-3.680	-3.680	0.533600	267-44-37	3.683
278	(3)	-63404.220	-90851.581	-29.432	-21.184	-28.544	840.107008	215-44-41	36.263
279	(4)	-63407.703	-90851.221	-3.483	0.360	-49.368	171.948744	174-05-56	3.502
293	(5)	-63428.916	-90827.127	-21.213	24.094	-24.914	528.500682	131-21-42	32.102
294	(6)	-63440.338	-90814.161	-11.422	12.966	12.146	-138.731612	131-22-39	17.279
276	(7)	-63448.043	-90805.436	-7.705	8.725	33.837	-260.714085	131-26-51	11.640
277	(8)	-63452.642	-90800.212	-4.599	5.224	47.786	-219.767814	131-21-34	6.960
2591	(9)	-63459.394	-90792.547	-6.752	7.665	60.675	-409.677600	131-22-35	10.215
284	(10)	-63470.709	-90779.702	-11.315	12.845	81.185	-918.608275	131-22-35	17.118
285	(11)	-63470.537	-90776.142	0.172	3.560	97.590	16.785480	87-14-02	3.564
2595	(12)	-63455.309	-90762.266	15.228	13.876	115.026	1751.615928	42-20-25	20.602
310	(13)	-63453.189	-90760.335	2.120	1.931	130.833	277.365960	42-19-44	2.868
309	(14)	-63447.617	-90755.264	5.572	5.071	137.835	768.016620	42-18-18	7.534
307	(15)	-63442.976	-90751.023	4.641	4.241	147.147	682.909227	42-25-17	6.287
306	(16)	-63439.496	-90751.242	3.480	-0.219	151.169	526.068120	356-23-57	3.487
305	(17)	-63433.930	-90757.761	5.566	-6.519	144.431	803.902946	310-29-28	8.572
2589	(18)	-63430.417	-90761.848	3.513	-4.087	133.825	470.127225	310-40-51	5.389
2588	(19)	-63429.753	-90762.621	0.664	-0.773	128.965	85.632760	310-39-44	1.019
303	(20)	-63408.847	-90786.938	20.906	-24.317	103.875	2171.610750	310-41-12	32.068
304	(21)	-63397.576	-90800.030	11.271	-13.092	66.466	749.138286	310-43-31	17.275
				22.933	-26.687	26.687	612.012971	310-40-25	35.187

NO X Y DX DY D M D 2S A L
301 (/) -63374.643 -90826.717

TOTAL
2S 8508.776921
S 4254.388460

メータ 4254.388460 SQ METER
1286.952509 ツホ"

*** 変位データ (/)

NO	X	Y	DX	DY	D M D	2S	A	L
301 (/)	-63374.643	-90826.717	-0.145	-3.680	-3.680	0.533600	267-44-37	3.683
302 (≥)	-63374.788	-90830.397	-29.432	-21.184	-28.544	840.107008	215-44-41	36.263
278 (∩)	-63404.220	-90851.581	-3.483	0.360	-49.368	171.948744	174-05-56	3.502
279 (≪)	-63407.703	-90851.221	-21.213	24.094	-24.914	528.500682	131-21-42	32.102
293 (√)	-63428.916	-90827.127	31.340	27.097	26.277	823.521180	40-50-50	41.430
304 (/)	-63397.576	-90800.030	22.933	-26.687	26.687	612.012971	310-40-25	35.187
301 (/)	-63374.643	-90826.717						

TOTAL
 2S 2976.624185
 S 1488.312092

 変位 1488.312092 / SQ METER
 450.214407 ユニ

*** 変位データ (≥)

NO	X	Y	DX	DY	D M D	2S	A	L
304 (/)	-63397.576	-90800.030	-31.340	-27.097	-27.097	849.219980	220-50-50	41.430
293 (√)	-63428.916	-90827.127	-11.422	12.966	-41.228	470.906216	131-22-39	17.279
294 (∩)	-63440.338	-90814.161	31.491	27.223	-1.039	-32.719149	40-50-33	41.627
303 (/)	-63408.847	-90786.938	11.271	-13.092	13.092	147.559932	310-43-31	17.275
304 (/)	-63397.576	-90800.030						

TOTAL
 2S 1434.966979
 S 717.483489

 変位 717.483489 / SQ METER
 217.038755 ユニ

*** メンピケ ワイラン (3)

NO		X	Y	DX	DY	D M D	2S	A	L
303	(18)	-63408.847	-90786.938						
2584	(20)	-63429.558	-90804.842	-20.711	-17.904	-17.904	370.809744	220-50-33	27.377 /
296	(21)	-63437.405	-90795.956	-7.847	8.886	-26.922	211.256934	131-26-49	11.855 /
300	(22)	-63441.997	-90790.714	-4.592	5.242	-12.794	58.750048	131-13-06	6.969 /
2585	(23)	-63448.749	-90783.049	-6.752	7.665	0.113	-0.762976	131-22-35	10.215 /
2586	(24)	-63442.156	-90777.167	6.593	5.882	13.660	90.060380	41-44-17	8.835 /
2587	(25)	-63443.928	-90775.160	-1.772	2.007	21.549	-38.184828	131-26-30	2.677 /
2588	(30)	-63429.753	-90762.621	14.175	12.539	36.095	511.646625	41-29-44	18.925 /
303	(18)	-63408.847	-90786.938	20.906	-24.317	24.317	508.371202	310-41-12	32.068

TOTAL

2S 1711.947129

S 855.973564

 メンピケ 855.973564 / SQ METER

258.932003 ユル

*** メンピケ ワイラン (4-1)

NO		X	Y	DX	DY	D M D	2S	A	L
305	(17)	-63433.930	-90757.761						
308	(28)	-63440.604	-90763.413	-6.674	-5.652	-5.652	37.721448	220-15-37	8.746
309	(14)	-63447.617	-90755.264	-7.013	8.149	-3.155	22.126015	130-42-55	10.751
307	(15)	-63442.976	-90751.023	4.641	4.241	9.235	42.859635	42-25-17	6.287
306	(16)	-63439.496	-90751.242	3.480	-0.219	13.257	46.134360	356-23-57	3.487 /
305	(17)	-63433.930	-90757.761	5.566	-6.519	6.519	36.284754	310-29-28	8.572

TOTAL

2S 185.126212

S 92.563106

 メンピケ 92.563106 / SQ METER

28.000339 ユル

*** マルチサイン (4-7)

NO	X	Y	DX	DY	D M D	2S	A	L
308 (28)	-63440.604	-90763.413						
271 (27)	-63446.188	-90768.517	-5.584	-5.104	-5.104	28.500736	222-25-43	7.565 /
310 (13)	-63453.189	-90760.335	-7.001	8.182	-2.026	14.184026	130-33-08	10.768
309 (14)	-63447.617	-90755.264	5.572	5.071	11.227	62.556844	42-18-18	7.534 /
308 (28)	-63440.604	-90763.413	7.013	-8.149	8.149	57.148937	310-42-55	10.751 /

TOTAL

2S 162.390543

S 81.195271

マルチ 81.195271 / SQ METER

24.561569 ユニ

*** マルチサイン (4-8)

NO	X	Y	DX	DY	D M D	2S	A	L
2588 (30)	-63429.753	-90762.621						
2587 (25)	-63443.928	-90775.160	-14.175	-12.539	-12.539	177.740325	221-29-44	18.925 /
2590 (26)	-63444.602	-90774.396	-0.674	0.764	-24.314	16.387636	131-25-07	1.019
2589 (29)	-63430.417	-90761.848	14.185	12.548	-11.002	-156.063370	41-29-45	18.938 /
2588 (30)	-63429.753	-90762.621	0.664	-0.773	0.773	0.513272	310-39-44	1.019 /

TOTAL

2S 38.577863

S 19.288931

マルチ 19.288931 / SQ METER

5.834901 ユニ

*** メンテリイサ (←=)

NO	X	Y	DX	DY	D M D	2S	A	L
2589 (29)	-63430.417	-90761.848						
2590 (26)	-63444.602	-90774.396	-14.185	-12.548	-12.548	177.993380	221-29-45	18.938 ✓
2595 (12)	-63455.309	-90762.266	-10.707	12.130	-12.966	138.826962	131-26-04	16.180 ✓
310 (13)	-63453.189	-90760.335	2.120	1.931	1.095	2.321400	42-19-44	2.868 ✓
271 (27)	-63446.188	-90768.517	7.001	-8.182	-5.156	-36.097156	310-33-08	10.768 ✓
308 (28)	-63440.604	-90763.413	5.584	5.104	-8.234	-45.978656	42-25-43	7.565 ✓
305 (17)	-63433.930	-90757.761	6.674	5.652	2.522	16.831828	40-15-37	8.746 ✓
2589 (29)	-63430.417	-90761.848	3.513	-4.087	4.087	14.357631	310-40-51	5.389

TOTAL

2S 268.255389

S 134.127694

メンテ 134.127694 / SQ METER

40.573627 ユホ"

*** メンテリイサ (✓)

NO	X	Y	DX	DY	D M D	2S	A	L
2586 (24)	-63442.156	-90777.167						
2591 (9)	-63459.394	-90792.547	-17.238	-15.380	-15.380	265.120440	221-44-23	23.102
284 (10)	-63470.709	-90779.702	-11.315	12.845	-17.915	202.708225	131-22-35	17.118 ✓
285 (11)	-63470.537	-90776.142	0.172	3.560	-1.510	-0.259720	87-14-02	3.564 ✓
2595 (12)	-63455.309	-90762.266	15.228	13.876	15.926	242.521128	42-20-25	20.602
2586 (24)	-63442.156	-90777.167	13.153	-14.901	14.901	195.992853	311-26-05	19.876

TOTAL

2S 906.082926

S 453.041463

メンテ 453.041463 / SQ METER

137.045042 ユホ"

*** マジキ ケイソク (4-7A)

NO	X	Y	DX	DY	D M D	2S	A	L
296 (2/)	-63437.405	-90795.956						
			-10.638	-9.480	-9.480	100.848240	221-42-20	14.249
276 (7)	-63448.043	-90805.436						
			-4.599	5.224	-13.736	63.171864	131-21-34	6.960
277 (8)	-63452.642	-90800.212						
			10.645	9.498	0.986	10.495970	41-44-27	14.266
300 (22)	-63441.997	-90790.714						
			4.592	-5.242	5.242	24.071264	311-13-06	6.969
296 (2/)	-63437.405	-90795.956						

TOTAL

2S 198.587338
S 99.293669

マジキ 99.293669 / SQ METER

30.036334 ツボ"

*** マジキ ケイソク (4-7B)

NO	X	Y	DX	DY	D M D	2S	A	L
300 (22)	-63441.997	-90790.714						
			-10.645	-9.498	-9.498	101.106210	221-44-27	14.266
277 (8)	-63452.642	-90800.212						
			-6.752	7.665	-11.331	76.506912	131-22-35	10.215
2591 (9)	-63459.394	-90792.547						
			10.645	9.498	5.832	62.081640	41-44-27	14.266
2585 (23)	-63448.749	-90783.049						
			6.752	-7.665	7.665	51.754080	311-22-35	10.215
300 (22)	-63441.997	-90790.714						

TOTAL

2S 291.448842
S 145.724421

マジキ 145.724421 / SQ METER

44.081637 ツボ"

*** メンピキ ケイリン (7)

NO	X	Y	DX	DY	D M D	2S	A	L
2584 (20)	-63429.558	-90804.842						
294 (6)	-63440.338	-90814.161	-10.780	-9.319	-9.319	100.458820	220-50-33	14.250
276 (7)	-63448.043	-90805.436	-7.705	8.725	-9.913	76.379665	131-26-51	11.640
296 (2/)	-63437.405	-90795.956	10.638	9.480	8.292	88.210296	41-42-20	14.249
2584 (20)	-63429.558	-90804.842	7.847	-8.886	8.886	69.728442	311-26-49	11.855

TOTAL

2S 334.777223

S 167.388611

メンピキ 167.388611 / SQ METER

50.635054 ユホ"

*** 2024年 1 (/)

NO		X	Y	DX	DY	D M D	2S	A	L
301	(/)	-63374.643	-90826.717						
302	(2)	-63374.788	-90830.397	-0.145	-3.680	-3.680	0.533600	267-44-37	3.683
278	(3)	-63404.220	-90851.581	-29.432	-21.184	-28.544	840.107008	215-44-41	36.263
279	(4)	-63407.703	-90851.221	-3.483	0.360	-49.368	171.948744	174-05-56	3.502
293	(5)	-63428.916	-90827.127	-21.213	24.094	-24.914	528.500682	131-21-42	32.102
304	(19)	-63397.576	-90800.030	31.340	27.097	26.277	823.521180	40-50-50	41.430
301	(/)	-63374.643	-90826.717	22.933	-26.687	26.687	612.012971	310-40-25	35.187

TOTAL

2S 2976.624185

S 1488.312092

2024 1488.312092 SQ METER

450.214407 ユヰ"

*** 2024年 2 (2)

NO		X	Y	DX	DY	D M D	2S	A	L
304	(19)	-63397.576	-90800.030						
293	(4)	-63428.916	-90827.127	-31.340	-27.097	-27.097	849.219980	220-50-50	41.430
294	(4)	-63440.338	-90814.161	-11.422	12.966	-41.228	470.906216	131-22-39	17.279
303	(18)	-63408.847	-90786.938	31.491	27.223	-1.039	-32.719149	40-50-33	41.627
304	(19)	-63397.576	-90800.030	11.271	-13.092	13.092	147.559932	310-43-31	17.275

TOTAL

2S 1434.966979

S 717.483489

2024 717.483489 SQ METER

217.038755 ユヰ"

*** メンピキ ケイソク (3)

NO		X	Y	DX	DY	D M D	2S	A	L
305	(18)	-63408.847	-90786.938						
294	(6)	-63440.338	-90814.161	-31.491	-27.223	-27.223	857.279493	220-50-33	41.627
276	(7)	-63448.043	-90805.436	-7.705	8.725	-45.721	352.280305	131-26-51	11.640
296	(21)	-63437.405	-90795.956	10.633	9.480	-27.516	-292.715203	41-42-20	14.249
300	(22)	-63441.997	-90790.714	-4.592	5.242	-12.794	58.750048	131-13-06	6.969
277	(8)	-63452.642	-90800.212	-10.645	-9.498	-17.050	181.497250	221-44-27	14.266
284	(11)	-63470.709	-90779.702	-18.067	20.510	-8.038	109.088546	131-22-35	27.333
285	(12)	-63470.537	-90776.142	0.172	3.560	18.032	3.101504	87-14-02	3.564
310	(13)	-63453.189	-90760.335	17.348	15.807	37.399	648.797852	42-20-20	23.469
271	(27)	-63446.188	-90768.517	7.001	-8.182	45.024	315.213024	310-33-08	10.768
308	(26)	-63440.604	-90763.413	5.584	5.104	41.948	234.226464	42-25-43	7.565
305	(17)	-63433.930	-90757.761	6.674	5.652	52.702	351.733148	40-15-37	8.746
303	(18)	-63408.847	-90786.938	25.083	-29.177	29.177	731.846691	310-41-06	38.477

TOTAL

2S 3551.099117

S 1775.549558

メニキ 1775.549558 SQ METER

*** メンピキ ケイソク (6-ハ)

NO		X	Y	DX	DY	D M D	2S	A	L
296	(21)	-63437.405	-90795.956						
276	(7)	-63448.043	-90805.436	-10.638	-9.480	-9.480	100.848240	221-42-20	14.249
277	(8)	-63452.642	-90800.212	-4.599	5.224	-13.736	63.171864	131-21-34	6.960
300	(22)	-63441.997	-90790.714	10.645	9.498	0.986	10.495970	41-44-27	14.266
296	(21)	-63437.405	-90795.956	4.592	-5.242	5.242	24.071264	311-13-06	6.969

TOTAL

2S 198.587338

S 99.293669

メニキ 99.293669 SQ METER

30.036334 ユヰ

*** 測点データ (←)

NO		X	Y	DX	DY	D M D	ZS	A	L
308	(28)	-63440.604	-90763.413						
271	(27)	-63446.188	-90768.517	-5.584	-5.104	-5.104	28.500736	222-25-43	7.565
310	(13)	-63453.189	-90760.335	-7.001	8.182	-2.026	14.184026	130-33-08	10.768
309	(14)	-63447.617	-90755.264	5.572	5.071	11.227	62.556844	42-18-18	7.534
308	(28)	-63440.604	-90763.413	7.013	-8.149	8.149	57.148937	310-42-55	10.751

TOTAL
 ZS 162.390543
 S 81.195271

 測点 81.195271 SQ METER
 24.561569 ユニ

*** 測点データ (←)

NO		X	Y	DX	DY	D M D	ZS	A	L
305	(17)	-63433.930	-90757.761						
308	(26)	-63440.604	-90763.413	-6.674	-5.652	-5.652	37.721448	220-15-37	8.746
309	(14)	-63447.617	-90755.264	-7.013	8.149	-3.155	22.126015	130-42-55	10.751
307	(15)	-63442.976	-90751.023	4.641	4.241	9.235	42.859635	42-25-17	6.287
306	(16)	-63439.496	-90751.242	3.480	-0.219	13.257	46.134360	356-23-57	3.487
305	(17)	-63433.930	-90757.761	5.566	-6.519	6.519	36.284754	310-29-28	8.572

TOTAL
 ZS 185.126212
 S 92.563106

 測点 92.563106 SQ METER
 28.000339 ユニ