





街 区 地 原 子 一 覽 表 (35 街 区)

35
街
区

計算面積 = 

角切面積 = 

換地面積 = 



*** メンピキ カイサン ()

| NO | X | Y | DX | DY | D M D | 2S | A | L |
|------------|------------|------------|---------|---------|---------|-------------|-----------|--------|
| 655 (/) | -63596.288 | -90736.188 | -1.156 | -8.228 | -8.228 | 9.511568 | 262-00-09 | 8.309 |
| 756 (2) | -63597.444 | -90744.416 | -7.436 | -6.550 | -23.006 | 171.072616 | 221-22-31 | 9.909 |
| 757 (v) | -63604.880 | -90750.966 | -0.524 | -0.453 | -30.009 | 15.724716 | 220-50-37 | 0.693 |
| 758 (<) | -63605.404 | -90751.419 | -18.297 | -16.016 | -46.478 | 850.407966 | 221-11-48 | 24.317 |
| 724 (v) | -63623.701 | -90767.435 | -24.000 | 36.742 | -25.752 | 618.048000 | 123-09-10 | 43.886 |
| 688 (<) | -63647.701 | -90730.693 | -6.465 | 9.920 | 20.910 | -135.183150 | 123-05-34 | 11.841 |
| 689 (7) | -63654.166 | -90720.773 | -0.378 | 0.590 | 31.420 | -11.876760 | 122-38-48 | 0.701 |
| 690 (42) | -63654.544 | -90720.183 | -2.270 | 3.478 | 35.488 | -80.557760 | 123-07-53 | 4.153 |
| 811 (8) | -63656.814 | -90716.705 | -12.594 | 19.259 | 58.225 | -733.285650 | 123-10-54 | 23.011 |
| 619 (9) | -63669.408 | -90697.446 | 16.337 | 14.085 | 91.569 | 1495.962753 | 40-45-59 | 21.570 |
| 620 (10) | -63653.071 | -90683.361 | 0.539 | 0.468 | 106.122 | 57.199758 | 40-58-01 | 0.714 |
| 621 (11) | -63652.532 | -90682.893 | 13.664 | 11.828 | 118.418 | 1618.063552 | 40-52-50 | 18.072 |
| 449 (12) | -63638.868 | -90671.065 | 6.119 | -9.365 | 120.881 | 739.670839 | 303-09-37 | 11.187 |
| 448 (v) | -63632.749 | -90680.430 | 3.173 | -4.858 | 106.658 | 338.425834 | 303-09-02 | 5.802 |
| 447 (14) | -63629.576 | -90685.288 | 2.854 | -4.348 | 97.452 | 278.128008 | 303-16-50 | 5.201 |
| 446 (14) | -63626.722 | -90689.636 | 3.290 | -5.046 | 88.058 | 289.710820 | 303-06-16 | 6.024 |
| 663 (16) | -63623.432 | -90694.682 | 2.805 | -4.302 | 78.710 | 220.781550 | 303-06-19 | 5.136 |
| 662 (17) | -63620.627 | -90698.984 | 5.741 | -8.805 | 65.603 | 376.626823 | 303-06-18 | 10.511 |
| 661 (18) | -63614.886 | -90707.789 | 2.864 | -4.351 | 52.447 | 150.208208 | 303-21-16 | 5.209 |
| 660 (19) | -63612.022 | -90712.140 | 2.846 | -4.330 | 43.766 | 124.558036 | 303-18-57 | 5.182 |
| 659 (20) | -63609.176 | -90716.470 | 3.080 | -4.727 | 34.709 | 106.903720 | 303-05-14 | 5.642 |

| NO | X | Y | DX | DY | D M D | 2S | A | L |
|------------|------------|------------|-------|--------|--------|-----------|-----------|-------|
| 658 (2/) | -63606.096 | -90721.197 | | | | | | |
| | | | 3.874 | -5.913 | 24.069 | 93.243306 | 303-13-53 | 7.069 |
| 657 (22) | -63602.222 | -90727.110 | | | | | | |
| | | | 2.985 | -4.561 | 13.595 | 40.581075 | 303-12-12 | 5.451 |
| 656 (20) | -63599.237 | -90731.671 | | | | | | |
| | | | 2.949 | -4.517 | 4.517 | 13.320633 | 303-08-21 | 5.394 |
| 655 (/) | -63596.288 | -90736.188 | | | | | | |

TOTAL

2S 6647.246461

S 3323.623230

メータ 3323.623230 SQ METER

1005.396027 リホ"

*** 変位データ (/)

35

| NO | X | Y | DX | DY | D M D | ZS | A | L |
|------------|------------|------------|--------|--------|---------|-------------|-----------|--------|
| 655 (/) | -63596.288 | -90736.188 | | | | | | |
| 756 (2) | -63597.444 | -90744.416 | -1.156 | -8.228 | -8.228 | 9.511568 | 262-00-09 | 8.309 |
| 757 (v) | -63604.860 | -90750.966 | -7.436 | -6.550 | -23.006 | 171.072616 | 221-22-31 | 9.909 |
| 911 (24) | -63609.048 | -90744.565 | -4.168 | 6.401 | -23.155 | 96.510040 | 123-04-12 | 7.638 |
| 655 (/) | -63596.288 | -90736.188 | 12.760 | 8.377 | -8.377 | -106.890520 | 33-17-06 | 15.264 |

TOTAL

ZS 170.203704
S 85.101852

変位 85.101852 SQ METER

25.743310 ㊦

*** 変位データ (2)

35

| NO | X | Y | DX | DY | D M D | ZS | A | L |
|------------|------------|------------|---------|--------|---------|------------|-----------|--------|
| 655 (/) | -63596.288 | -90736.188 | | | | | | |
| 911 (24) | -63609.048 | -90744.565 | -12.760 | -8.377 | -8.377 | 106.890520 | 213-17-06 | 15.264 |
| 917 (26) | -63612.192 | -90740.177 | -3.144 | 4.388 | -12.388 | 38.875704 | 125-37-18 | 5.396 |
| 656 (20) | -63599.237 | -90731.671 | 12.955 | 8.506 | 0.528 | 6.840240 | 33-17-17 | 15.498 |
| 655 (/) | -63596.288 | -90736.188 | 2.949 | -4.517 | 4.517 | 13.320633 | 303-08-21 | 5.394 |

TOTAL

ZS 165.930097
S 82.965048

変位 82.965048 SQ METER

25.096927 ㊦

*** マルチサイト (W)

35

| NO | X | Y | DX | DY | D M D | 2S | A | L |
|------------|------------|------------|---------|--------|---------|------------|-----------|--------|
| 656 (20) | -63599.237 | -90731.671 | | | | | | |
| | | | -12.955 | -8.506 | -8.506 | 110.195230 | 213-17-17 | 15.490 |
| 917 (26) | -63612.192 | -90740.177 | | | | | | |
| | | | -3.179 | 4.438 | -12.574 | 39.972746 | 125-36-52 | 5.459 |
| 918 (27) | -63615.371 | -90735.739 | | | | | | |
| | | | 13.149 | 8.629 | 0.493 | 6.482457 | 33-16-29 | 15.726 |
| 657 (22) | -63602.222 | -90727.110 | | | | | | |
| | | | 2.985 | -4.561 | 4.561 | 13.614585 | 303-12-12 | 5.451 |
| 656 (23) | -63599.237 | -90731.671 | | | | | | |

TOTAL

2S 170.265018

S 85.132509

マルチ 85.132509 / SQ METER

25.752583 ユニ

*** マルチサイト (K)

35

| NO | X | Y | DX | DY | D M D | 2S | A | L |
|------------|------------|------------|---------|--------|---------|------------|-----------|--------|
| 657 (22) | -63602.222 | -90727.110 | | | | | | |
| | | | -13.149 | -8.629 | -8.629 | 113.462721 | 213-16-29 | 15.720 |
| 918 (27) | -63615.371 | -90735.739 | | | | | | |
| | | | -4.130 | 5.765 | -11.493 | 47.466090 | 125-37-03 | 7.092 |
| 919 (28) | -63619.501 | -90729.974 | | | | | | |
| | | | 13.405 | 8.777 | 3.049 | 40.871845 | 33-12-54 | 16.023 |
| 658 (21) | -63606.096 | -90721.197 | | | | | | |
| | | | 3.874 | -5.913 | 5.913 | 22.906962 | 303-13-53 | 7.069 |
| 657 (22) | -63602.222 | -90727.110 | | | | | | |

TOTAL

2S 224.707618

S 112.353809

マルチ 112.353809 / SQ METER

33.987027 ユニ

*** 測点データ (5)

| NO | X | Y | DX | DY | D M D | ZS | A | L | 35 |
|------------|------------|------------|---------|--------|---------|------------|-----------|--------|----|
| 658 (21) | -63606.096 | -90721.197 | | | | | | | |
| 919 (28) | -63619.501 | -90729.974 | -13.405 | -8.777 | -8.777 | 117.655685 | 213-12-54 | 16.023 | |
| 920 (29) | -63622.792 | -90725.381 | -3.291 | 4.593 | -12.961 | 42.654651 | 125-37-21 | 5.650 | |
| 659 (20) | -63609.176 | -90716.470 | 13.616 | 8.911 | 0.543 | 7.393488 | 33-12-10 | 16.273 | |
| 658 (21) | -63606.096 | -90721.197 | 3.080 | -4.727 | 4.727 | 14.559160 | 303-05-14 | 5.642 | |

TOTAL

ZS 182.262984

S 91.131492

測点 91.131492 / SQ METER

27.567276 9m

*** 測点データ (6)

35

| NO | X | Y | DX | DY | D M D | ZS | A | L |
|------------|------------|------------|---------|--------|---------|------------|-----------|--------|
| 659 (20) | -63609.176 | -90716.470 | | | | | | |
| 920 (29) | -63622.792 | -90725.381 | -13.616 | -8.911 | -8.911 | 121.332176 | 213-12-10 | 16.273 |
| 921 (30) | -63625.812 | -90721.164 | -3.020 | 4.217 | -13.605 | 41.087100 | 125-36-30 | 5.187 |
| 660 (19) | -63612.022 | -90712.140 | 13.790 | 9.024 | -0.364 | -5.019560 | 33-12-01 | 16.480 |
| 659 (20) | -63609.176 | -90716.470 | 2.846 | -4.330 | 4.330 | 12.323180 | 303-18-57 | 5.182 |

TOTAL

ZS 169.722696

S 84.861448

測点 84.861448 / SQ METER

25.670588 9m

*** 合計 (7)

| NO | X | Y | DX | DY | DND | ZS | A | L |
|------------|------------|------------|---------|--------|---------|------------|-----------|--------|
| 660 (18) | -63612.022 | -90712.140 | -13.790 | -9.024 | -9.024 | 124.440960 | 213-12-01 | 16.480 |
| 921 (10) | -63625.812 | -90721.164 | -2.305 | 3.213 | -14.830 | 34.163150 | 125-36-46 | 3.953 |
| 922 (11) | -63628.117 | -90717.946 | -0.737 | 1.027 | -10.565 | 7.801145 | 125-39-51 | 1.264 |
| 823 (12) | -63628.054 | -90716.919 | 13.968 | 9.130 | -0.428 | -5.978304 | 33-10-12 | 16.667 |
| 661 (18) | -63614.886 | -90707.789 | 2.864 | -4.351 | 4.351 | 12.461264 | 303-21-16 | 5.209 |
| 660 (19) | -63612.022 | -90712.140 | | | | | | |

TOTAL

ZS 172.908215

S 86.454107

合計 86.454107 SQ METER

26.152367 ユニ

*** メンセキ ケイザン (別-ア)

| NO | X | Y | DX | DY | D M D | 2S | A | L |
|------------|------------|------------|---------|--------|---------|------------|-----------|---------|
| 661 (18) | -63614.886 | -90707.789 | | | | | | |
| | | | -13.968 | -9.130 | -9.130 | 127.527840 | 213-10-12 | 16.687, |
| 823 (22) | -63628.854 | -90716.919 | | | | | | |
| | | | -6.873 | 8.230 | -10.030 | 68.936190 | 129-51-57 | 10.722, |
| 821 (24) | -63635.727 | -90708.689 | | | | | | |
| | | | 15.100 | 9.705 | 7.905 | 119.365500 | 32-43-46 | 17.950, |
| 662 (17) | -63620.627 | -90698.984 | | | | | | |
| | | | 5.741 | -8.805 | 8.805 | 50.549505 | 303-06-18 | 10.511, |
| 661 (18) | -63614.886 | -90707.789 | | | | | | |

TOTAL
 2S 366.379035
 S 183.189517

 メンセキ 183.189517 SQ METER
 55.414829 ヲホ"

*** 測点データ (D-B)

| NO | X | Y | DX | DY | D M D | 2S | A | L |
|------------|------------|------------|---------|---------|---------|------------|-----------|--------|
| 922 (測点) | -63628.117 | -90717.946 | | | | | | |
| 824 (測点) | -63628.755 | -90718.273 | -0.638 | -0.327 | -0.327 | 0.208626 | 207-08-13 | 0.717 |
| 688 (測点) | -63647.701 | -90730.693 | -18.946 | -12.420 | -13.074 | 247.700004 | 213-14-48 | 22.654 |
| 689 (測点) | -63654.166 | -90720.773 | -6.465 | 9.920 | -15.574 | 100.685910 | 123-05-34 | 11.841 |
| 820 (測点) | -63636.272 | -90709.119 | 17.894 | 11.654 | 6.000 | 107.364000 | 33-04-31 | 21.354 |
| 821 (測点) | -63635.727 | -90708.689 | 0.545 | 0.430 | 18.084 | 9.855780 | 38-16-23 | 0.694 |
| 823 (測点) | -63628.854 | -90716.919 | 6.873 | -8.230 | 10.284 | 70.681932 | 309-51-57 | 10.722 |
| 922 (測点) | -63628.117 | -90717.946 | 0.737 | -1.027 | 1.027 | 0.756899 | 305-39-51 | 1.264 |

TOTAL

2S 537.253151

S 268.626575

測点 268.626575 / SQ METER

81.259539 ツボ

*** マンホ計 計測 (9)

| NO | X | Y | DX | DY | D M D | 2S | A | L |
|------------|------------|------------|---------|--------|---------|------------|-----------|---------|
| 662 (17) | -63620.627 | -90698.984 | | | | | | |
| | | | -15.100 | -9.705 | -9.705 | 146.545500 | 212-43-46 | 17.950, |
| 821 (34) | -63635.727 | -90708.689 | | | | | | |
| | | | -2.769 | 4.250 | -15.160 | 41.978040 | 123-05-08 | 5.072, |
| 923 (27) | -63638.496 | -90704.439 | | | | | | |
| | | | 15.064 | 9.757 | -1.153 | -17.368792 | 32-55-53 | 17.948, |
| 663 (16) | -63623.432 | -90694.682 | | | | | | |
| | | | 2.805 | -4.302 | 4.302 | 12.067110 | 303-06-19 | 5.136, |
| 662 (17) | -63620.627 | -90698.984 | | | | | | |

TOTAL

2S 183.221858

S 91.610929

マンホ計 91.610929 / SQ METER

27.712306 ツホ"

*** マンホ計 計測 (10)

| NO | X | Y | DX | DY | D M D | 2S | A | L |
|------------|------------|------------|---------|--------|---------|------------|-----------|---------|
| 663 (16) | -63623.432 | -90694.682 | | | | | | |
| | | | -15.064 | -9.757 | -9.757 | 146.979448 | 212-55-53 | 17.948, |
| 923 (27) | -63638.496 | -90704.439 | | | | | | |
| | | | -3.259 | 5.004 | -14.510 | 47.288090 | 123-04-31 | 5.972, |
| 924 (28) | -63641.755 | -90699.435 | | | | | | |
| | | | 15.033 | 9.799 | 0.293 | 4.404669 | 33-05-51 | 17.945, |
| 446 (14) | -63626.722 | -90689.636 | | | | | | |
| | | | 3.290 | -5.046 | 5.046 | 16.601340 | 303-06-16 | 6.024, |
| 663 (16) | -63623.432 | -90694.682 | | | | | | |

TOTAL

2S 215.273547

S 107.636773

マンホ計 107.636773 / SQ METER

32.560123 ツホ"

*** 測点データ (11)

35

| NO | X | Y | DX | DY | D M D | ZS | A | L |
|------------|------------|------------|---------|--------|---------|------------|-----------|---------|
| 446 (14) | -63626.722 | -90689.636 | | | | | | |
| | | | -15.033 | -9.799 | -9.799 | 147.308367 | 213-05-51 | 17.945, |
| 924 (28) | -63641.755 | -90699.435 | | | | | | |
| | | | -2.839 | 4.357 | -15.241 | 43.269199 | 123-05-17 | 5.200, |
| 925 (29) | -63644.594 | -90695.078 | | | | | | |
| | | | 15.018 | 9.790 | -1.094 | -16.429692 | 33-05-59 | 17.927, |
| 447 (14) | -63629.576 | -90685.288 | | | | | | |
| | | | 2.854 | -4.348 | 4.348 | 12.409192 | 303-16-50 | 5.201, |
| 446 (14) | -63626.722 | -90689.636 | | | | | | |

TOTAL
 ZS 186.557066
 S 93.278533

 測点 93.278533 / SQ METER
 28.216756 9m

*** 測点データ (12)

35

| NO | X | Y | DX | DY | D M D | ZS | A | L |
|------------|------------|------------|---------|--------|---------|------------|-----------|---------|
| 447 (14) | -63629.576 | -90685.288 | | | | | | |
| | | | -15.018 | -9.790 | -9.790 | 147.026220 | 213-05-59 | 17.927, |
| 925 (29) | -63644.594 | -90695.078 | | | | | | |
| | | | -3.167 | 4.861 | -14.719 | 46.615073 | 123-05-05 | 5.802, |
| 926 (40) | -63647.761 | -90690.217 | | | | | | |
| | | | 15.012 | 9.787 | -0.071 | -1.065852 | 33-06-08 | 17.921, |
| 448 (10) | -63632.749 | -90680.430 | | | | | | |
| | | | 3.173 | -4.858 | 4.858 | 15.414434 | 303-09-02 | 5.802, |
| 447 (14) | -63629.576 | -90685.288 | | | | | | |

TOTAL
 ZS 207.989875
 S 103.994937

 測点 103.994937 / SQ METER
 31.458468 9m

*** 2D4 5100 (10)

35

| NO | X | Y | DX | DY | D M D | 2S | A | L |
|------------|------------|------------|---------|--------|---------|------------|-----------|---------|
| 448 (/ω) | -63632.749 | -90680.430 | -15.012 | -9.787 | -9.787 | 146.922444 | 213-06-08 | 17.9217 |
| 926 (/ω) | -63647.761 | -90690.217 | -4.771 | 7.324 | -12.250 | 58.444750 | 123-04-52 | 8.7417 |
| 621 (//) | -63652.532 | -90682.593 | 13.664 | 11.828 | 6.902 | 94.308928 | 40-52-50 | 18.0727 |
| 449 (/ε) | -63638.866 | -90671.065 | 6.119 | -9.365 | 9.365 | 57.304435 | 303-09-37 | 11.1877 |
| 448 (/ω) | -63632.749 | -90680.430 | | | | | | |

TOTAL
 2S 356.980557
 S 178.490278

 2D4 178.490278 SQ METER
 53.993309 ㎡

*** 2D4 5100 (14)

35

| NO | X | Y | DX | DY | D M D | 2S | A | L |
|---------|------------|------------|---------|---------|---------|------------|-----------|--------|
| 920 () | -63638.924 | -90705.053 | -17.894 | -11.646 | -11.646 | 208.393524 | 213-03-27 | 21.350 |
| 811 () | -63656.818 | -90716.699 | -12.590 | 19.253 | -4.039 | 50.851010 | 123-10-54 | 23.004 |
| 619 () | -63669.408 | -90697.446 | 16.337 | 14.085 | 29.299 | 478.657763 | 40-45-59 | 21.570 |
| 620 () | -63653.071 | -90683.361 | 14.147 | -21.692 | 21.692 | 306.876724 | 303-06-41 | 23.597 |
| 928 () | -63638.924 | -90705.053 | | | | | | |

TOTAL
 2S 1044.779021
 S 522.389510

 2D4 522.389510 SQ METER
 158.022826 ㎡

*** メンピキ ケイソウ (/ 4-1)

| NO | X | Y | DX | DY | D M D | 2S | A | L |
|------------|------------|------------|---------|---------|---------|------------|-----------|---------|
| 927 (41) | -63636.654 | -90708.533 | | | | | | |
| | | | -17.890 | -11.650 | -11.650 | 208.418500 | 213-04-20 | 21.349, |
| 690 (42) | -63654.544 | -90720.183 | | | | | | |
| | | | -2.270 | 3.478 | -19.822 | 44.995940 | 123-07-53 | 4.153, |
| 811 (8) | -63656.814 | -90716.705 | | | | | | |
| | | | 17.891 | 11.650 | -4.694 | -83.980354 | 33-04-15 | 21.350, |
| 928 (26) | -63638.923 | -90705.055 | | | | | | |
| | | | 2.269 | -3.478 | 3.478 | 7.891582 | 303-07-12 | 4.153, |
| 927 (41) | -63636.654 | -90708.533 | | | | | | |

TOTAL
 2S 177.325668
 S 88.662834

 メンピキ 88.662834 SQ METER
 26.820507 ツホ"

*** メンピキ ケイソウ (/ 4-2)

| NO | X | Y | DX | DY | D M D | 2S | A | L |
|------------|------------|------------|---------|---------|---------|------------|-----------|---------|
| 928 (26) | -63638.923 | -90705.055 | | | | | | |
| | | | -17.891 | -11.650 | -11.650 | 208.430150 | 213-04-15 | 21.350, |
| 811 (8) | -63656.814 | -90716.705 | | | | | | |
| | | | -12.594 | 19.259 | -4.041 | 50.892354 | 123-10-54 | 23.011, |
| 619 (8) | -63669.408 | -90697.446 | | | | | | |
| | | | 16.337 | 14.085 | 29.303 | 478.723111 | 40-45-59 | 21.570, |
| 620 (10) | -63653.071 | -90683.361 | | | | | | |
| | | | 14.148 | -21.694 | 21.694 | 306.926712 | 303-06-39 | 25.900, |
| 928 (26) | -63638.923 | -90705.055 | | | | | | |

TOTAL
 2S 1044.972327
 S 522.486163

 メンピキ 522.486163 SQ METER
 158.052064 ツホ"

*** メンピキ ケイサソ (1-0)

| NO | X | Y | DX | DY | D M D | 2S | A | L |
|-----------|------------|------------|---------|---------|---------|-------------|-----------|---------|
| 820 (1) | -63636.272 | -90709.119 | | | | | | |
| | | | -17.894 | -11.654 | -11.654 | 208.536676 | 213-04-31 | 21.354, |
| 689 (7) | -63654.166 | -90720.773 | | | | | | |
| | | | -0.378 | 0.590 | -22.718 | 8.587404 | 122-38-48 | 0.701, |
| 690 (2) | -63654.544 | -90720.183 | | | | | | |
| | | | 17.890 | 11.650 | -10.478 | -187.451420 | 33-04-20 | 21.349, |
| 927 (4) | -63636.654 | -90708.533 | | | | | | |
| | | | 0.382 | -0.586 | 0.586 | 0.223852 | 303-05-58 | 0.700, |
| 820 (1) | -63636.272 | -90709.119 | | | | | | |

TOTAL
 2S 29.896512
 S 14.948256

 メンピキ 14.948256 / SQ METER
 4.521847 ツホ"

*** メンピキ ケイサソ (1-3)

| NO | X | Y | DX | DY | D M D | 2S | A | L |
|---------|------------|------------|---------|---------|---------|------------|-----------|--------|
| 824 () | -63628.755 | -90718.273 | | | | | | |
| | | | -18.946 | -12.420 | -12.420 | 235.309320 | 213-14-48 | 22.654 |
| 688 () | -63647.701 | -90730.693 | | | | | | |
| | | | -6.465 | 9.920 | -14.920 | 96.457800 | 123-05-34 | 11.841 |
| 689 () | -63654.166 | -90720.773 | | | | | | |
| | | | 17.894 | 11.654 | 6.654 | 119.066676 | 33-04-31 | 21.354 |
| 820 () | -63636.272 | -90709.119 | | | | | | |
| | | | 7.517 | -9.154 | 9.154 | 68.810618 | 309-23-31 | 11.845 |
| 824 () | -63628.755 | -90718.273 | | | | | | |

TOTAL
 2S 519.644414
 S 259.822207

 メンピキ 259.822207 SQ METER
 78.596217 ツホ"

*** 測点タイプ (16)

35

| NO | | X | Y | DX | DY | D M D | ZS | A | L |
|-----|---------|------------|------------|---------|---------|---------|-------------|-----------|---------|
| 758 | (4) | -83605.404 | -90751.419 | | | | | | |
| | | | | -18.297 | -18.016 | -18.016 | 293.044752 | 221-11-48 | 24.317, |
| 724 | (✓) | -83623.701 | -90767.435 | | | | | | |
| | | | | -24.000 | 36.742 | 4.710 | -113.040000 | 123-09-10 | 43.886, |
| 688 | (6) | -83647.701 | -90730.693 | | | | | | |
| | | | | 18.946 | 12.420 | 53.872 | 1020.658912 | 33-14-40 | 22.654, |
| 824 | (W) | -83620.755 | -90718.273 | | | | | | |
| | | | | 19.234 | -26.837 | 39.455 | 756.877470 | 305-37-45 | 33.018, |
| 912 | (2 ✓) | -83609.521 | -90745.110 | | | | | | |
| | | | | 4.117 | -6.309 | 6.309 | 25.974153 | 303-07-37 | 7.533, |
| 758 | (4) | -83605.404 | -90751.419 | | | | | | |

TOTAL

ZS 1985.515287

S 992.757643

測点 992.757643 SQ METER

300.309187 ユニ

*** 埋込管 (ノイ)

| NO | X | Y | DX | DY | D M D | 2S | A | L |
|------------|------------|------------|---------|---------|--------|-------------|-----------|---------|
| 821 (4) | -63635.727 | -90708.689 | | | | | | |
| | | | -0.545 | -0.430 | -0.430 | 0.234350 | 218-16-23 | 0.694, |
| 820 (4) | -63636.272 | -90709.119 | | | | | | |
| | | | -0.382 | 0.586 | -0.274 | 0.104668 | 123-05-58 | 0.700, |
| 927 (4) | -63636.654 | -90708.533 | | | | | | |
| | | | -2.269 | 3.478 | 3.790 | -8.599510 | 123-07-12 | 4.153, |
| 928 (4) | -63638.923 | -90705.055 | | | | | | |
| | | | -14.148 | 21.694 | 28.962 | -409.754376 | 123-06-39 | 25.900, |
| 620 (10) | -63653.071 | -90683.361 | | | | | | |
| | | | 0.539 | 0.468 | 51.124 | 27.555836 | 40-58-01 | 0.714, |
| 621 (11) | -63652.532 | -90682.893 | | | | | | |
| | | | 14.036 | -21.546 | 30.046 | 421.725656 | 303-04-55 | 25.715, |
| 923 (7) | -63638.496 | -90704.439 | | | | | | |
| | | | 2.769 | -4.250 | 4.250 | 11.768250 | 303-05-08 | 5.072, |
| 821 (4) | -63635.727 | -90708.689 | | | | | | |

TOTAL

2S 43.034874

S 21.517437

埋込管 21.517437 SQ METER

6.509024 ツホ"

*** 2017 年 11 月 17 日 (17 - A)

35

| NO | | X | Y | DX | DY | D M D | ZS | A | L |
|-----|--------|------------|------------|---------|--------|--------|-------------|-----------|--------|
| 757 | (W) | -63604.860 | -90750.966 | | | | | | |
| 758 | (4) | -63605.404 | -90751.419 | -0.524 | -0.453 | -0.453 | 0.237372 | 220-50-37 | 0.693 |
| 912 | (24) | -63609.521 | -90745.110 | -4.117 | 6.309 | 5.403 | -22.244151 | 123-07-37 | 7.533 |
| 824 | (W) | -63623.755 | -90713.273 | -19.234 | 26.837 | 36.549 | -741.451466 | 125-37-45 | 33.013 |
| 922 | (W/) | -63628.117 | -90717.946 | 0.638 | 0.327 | 65.713 | 41.924394 | 27-08-13 | 0.717 |
| 921 | (20) | -63625.012 | -90721.164 | 2.305 | -3.218 | 62.822 | 144.804710 | 305-36-48 | 3.958 |
| 920 | (29) | -63622.792 | -90725.381 | 3.020 | -4.217 | 55.387 | 167.268740 | 305-36-30 | 5.187 |
| 919 | (28) | -63619.501 | -90729.974 | 3.291 | -4.593 | 46.577 | 153.284907 | 305-37-21 | 5.650 |
| 918 | (27) | -63615.371 | -90735.739 | 4.130 | -5.765 | 36.219 | 149.584470 | 305-37-03 | 7.092 |
| 917 | (26) | -63612.192 | -90740.177 | 3.179 | -4.433 | 26.016 | 82.704864 | 305-36-52 | 5.459 |
| 911 | (24) | -63609.048 | -90744.565 | 3.144 | -4.388 | 17.190 | 54.045360 | 305-37-18 | 5.396 |
| 757 | (W) | -63604.860 | -90750.966 | 4.166 | -6.401 | 6.401 | 26.679368 | 303-04-12 | 7.638 |

TOTAL

ZS 56.839068

S 28.419534

2017 28.419534 SC METER

8.596909 2017