



\*\*\* 面積計算 ( 街区 )

30

NO	X	Y	DX	DY	D M D	2S	A	L
395 ( / )	-63566.344	-90851.971						
			-0.317	-3.625	-3.625	1.149125	265-00-08	3.639
396 ( 2 )	-63566.661	-90855.596						
			-38.154	-34.822	-42.072	1605.215088	222-23-09	51.656
328 ( w )	-63604.815	-90890.418						
			-24.326	33.777	-43.117	1048.664142	125-45-40	41.625
705 ( 4 )	-63629.141	-90856.641						
			-2.859	3.964	-5.376	15.369984	125-48-02	4.687
706 ( ✓ )	-63632.000	-90852.677						
			-0.820	1.141	-0.271	0.222220	125-42-13	1.405
707 ( 6 )	-63632.820	-90851.536						
			-0.745	1.039	1.909	-1.422205	125-38-31	1.278
708 ( 7 )	-63633.565	-90850.497						
			-3.078	4.269	7.217	-22.213926	125-47-31	5.263
709 ( 8 )	-63636.643	-90846.228						
			-5.216	7.255	18.741	-97.753056	125-42-52	8.935
710 ( 9 )	-63641.859	-90838.973						
			-3.278	4.548	30.544	-100.123232	125-46-57	5.606
711 ( 10 )	-63645.137	-90834.425						
			-8.564	11.943	47.040	-402.850560	125-37-55	14.700
712 ( 11 )	-63653.701	-90822.477						
			0.891	8.168	67.156	59.835996	83-46-28	8.216
713 ( 12 )	-63652.810	-90814.309						
			13.294	11.659	86.983	1156.352002	41-15-04	17.662
718 ( 1w )	-63639.516	-90802.650						
			3.138	2.743	101.385	318.146130	41-09-27	4.168
719 ( 14 )	-63636.378	-90799.907						
			17.508	15.374	119.502	2092.241016	41-17-12	23.300
722 ( 1x )	-63618.870	-90784.533						
			18.889	-24.276	110.600	2089.123400	307-53-11	30.759
732 ( 16 )	-63599.981	-90808.809						
			13.385	-17.211	69.113	925.077505	307-52-20	21.603
733 ( 17 )	-63586.596	-90826.020						
			20.252	-25.951	25.951	525.559652	307-50-06	32.918
395 ( / )	-63566.344	-90851.971						

TOTAL

2S 9212.793281

S 4606.396640

-----  
 面積 4606.396640 SQ METER

1393.434983 坪

\*\*\* マルチタイコン ( / — 1 )

NO	X	Y	DX	DY	D M D	2S	A	L	38
733 ( 17 )	-63586.596	-90826.020							
786 ( 20 )	-63616.222	-90847.343	-29.626	-21.323	-21.323	631.715198	215-44-39	36.502	
699 ( 24 )	-63623.687	-90836.911	-7.465	10.432	-32.214	240.477510	125-35-13	12.828	
790 ( 24 )	-63618.101	-90832.894	5.586	4.017	-17.765	-99.235290	35-43-14	6.880	
701 ( 26 )	-63623.339	-90825.640	-5.238	7.254	-6.494	34.015572	125-49-57	8.947	
700 ( 28 )	-63623.020	-90825.429	0.319	0.211	0.971	0.309749	33-28-56	0.382	
704 ( 27 )	-63619.724	-90823.046	3.296	2.383	3.565	11.750240	35-52-01	4.067	
732 ( 16 )	-63599.981	-90808.809	19.743	14.237	20.185	398.512455	35-47-46	24.341	
733 ( 17 )	-63586.596	-90826.020	13.385	-17.211	17.211	230.369235	307-52-20	21.803	

TOTAL

2S 1447.914669  
S 723.957334

-----  
合計 723.957334 SQ METER

218.997093 ユン

\*\*\* マルチタイコン ( / — 0 )

NO	X	Y	DX	DY	D M D	2S	A	L	38
790 ( 24 )	-63618.101	-90832.894							
699 ( 24 )	-63623.687	-90836.911	-5.586	-4.017	-4.017	22.438962	215-43-14	6.880	
709 ( 8 )	-63636.643	-90846.228	-12.956	-9.317	-17.351	224.799556	215-43-15	15.958	
710 ( 9 )	-63641.859	-90833.973	-5.216	7.255	-19.413	101.258208	125-42-52	8.935	
703 ( 29 )	-63630.125	-90830.519	11.734	8.454	-3.704	-43.462736	35-46-18	14.462	
701 ( 26 )	-63623.339	-90825.640	6.786	4.879	9.629	65.342394	35-42-55	8.358	
790 ( 24 )	-63618.101	-90832.894	5.238	-7.254	7.254	37.996452	305-49-57	8.947	

TOTAL

2S 408.372836  
S 204.186418

-----  
合計 204.186418 SQ METER

61.766391 ユン

\*\*\* 変位データ ( Z )

38

NO	X	Y	DX	DY	D M D	ZS	A	L
732 ( 16 )	-63599.981	-90808.809						
704 ( 26 )	-63619.724	-90823.046	-19.743	-14.237	-14.237	281.081091	215-47-46	24.341
719 ( 14 )	-63636.378	-90799.907	-16.654	23.139	-5.335	88.649090	125-44-38	23.509
722 ( 15 )	-63618.870	-90784.533	17.508	15.374	33.178	580.880424	41-17-12	23.300
732 ( 16 )	-63599.981	-90808.809	18.889	-24.276	24.276	458.549364	307-53-11	30.759

TOTAL

ZS 1409.359969

S 704.679984

-----  
変位 704.679984 / SQ METER

213.165695 ユム

\*\*\* 変位データ ( 3-1 )

38

NO	X	Y	DX	DY	D M D	ZS	A	L
704 ( 27 )	-63619.724	-90823.046						
700 ( 28 )	-63623.020	-90825.429	-3.296	-2.383	-2.383	7.854368	215-52-01	4.067
718 ( 18 )	-63639.516	-90802.650	-16.496	22.779	18.013	-297.142448	125-54-40	28.125
719 ( 14 )	-63636.378	-90799.907	3.138	2.743	43.535	136.612830	41-09-27	4.168
704 ( 27 )	-63619.724	-90823.046	16.654	-23.139	23.139	385.356906	305-44-38	28.509

TOTAL

ZS 232.681656

S 116.340828

-----  
変位 116.340828 / SQ METER

35.193100 ユム

\*\*\* 2007 2115 ( )

38

NO	X	Y	DX	DY	D M D	2S	A	L
704 ( )	-63619.724	-90823.046	-3.296	-2.383	-2.383	7.854368	215-52-01	4.067
700 ( )	-63623.020	-90825.429	-16.496	22.779	18.013	-297.142448	125-54-40	28.125
718 ( )	-63639.516	-90802.650	3.138	2.743	43.535	136.612830	41-09-27	4.168
719 ( )	-63636.378	-90799.907	16.654	-23.139	23.139	385.356906	305-44-38	28.509

TOTAL  
2S 232.681656  
S 116.340828

-----  
2007 116.340828 SQ METER  
35.193100 ユム

\*\*\* 2007 2115 ( 3-0 )

38

NO	X	Y	DX	DY	D M D	2S	A	L
700 ( 28 )	-63623.020	-90825.429	-0.319	-0.211	-0.211	0.067309	213-28-56	0.382
701 ( 26 )	-63623.339	-90825.840	-6.786	-4.879	-5.301	35.972586	215-42-55	8.358
703 ( 29 )	-63630.125	-90830.519	-3.336	4.658	-5.522	18.421392	125-36-35	5.729
702 ( 30 )	-63633.461	-90825.861	-11.676	-8.564	-9.428	110.081328	216-15-32	14.480
711 ( 10 )	-63645.137	-90834.425	-8.564	11.948	-6.044	51.760816	125-37-55	14.700
712 ( 11 )	-63653.701	-90822.477	0.891	8.168	14.072	12.538152	83-46-28	8.216
713 ( 12 )	-63652.810	-90814.309	13.294	11.659	33.899	450.653306	41-15-04	17.682
718 ( 14 )	-63639.516	-90802.650	16.496	-22.779	22.779	375.762384	305-54-40	28.125
700 ( 28 )	-63623.020	-90825.429						

TOTAL  
2S 1055.257273  
S 527.628636

-----  
2007 527.628636 / SQ METER  
159.607662 ユム

\*\*\* マルチ ケイパ ( 3 - ハ )

38

~~88~~

NO		X	Y	DX	DY	D M D	2S	A	L
703	( 2P )	-63630.125	-90830.519						
				-11.734	-8.454	-8.454	99.199236	215-46-18	14.462
710	( P )	-63641.859	-90838.973						
				-3.278	4.548	-12.360	40.516080	125-46-57	5.606
711	( 10 )	-63645.137	-90834.425						
				11.676	6.564	0.752	8.780352	38-15-32	14.480
702	( 2P )	-63633.461	-90825.861						
				3.336	-4.658	4.658	15.539088	305-36-35	5.729
703	( 2P )	-63630.125	-90830.519						

TOTAL  
2S 164.034756  
S 82.017378  
-----  
合計 82.017378 SQ METER  
24.610256 ㎡

\*\*\* XDLT タイム ( 4 )

NO	X	Y	DX	DY	D.M.D	2S	A	L
789 ( 28 )	-63620.625	-90841.190						
			-12.940	-9.307	-9.307	120.432580	215-43-31	15.939 ✓
708 ( 7 )	-63633.565	-90850.497						
			-3.078	4.269	-14.345	44.153910	125-47-31	5.263 ✓
709 ( 8 )	-63636.643	-90846.228						
			12.956	9.317	-0.759	-9.833604	35-43-15	15.958 ✓
699 ( 24 )	-63623.687	-90836.911						
			3.062	-4.279	4.279	13.102298	305-35-13	5.262 ✓
789 ( 28 )	-63620.625	-90841.190						

TOTAL

2S 167.855184

S 83.927592

XDLT 83.927592 / SQ METER

25.388096 ユニツ

\*\*\* 測点データ ( 5-1 )

NO	X	Y	DX	DY	D M D	2S	A	L	38
788 ( 22 )	-63619.883	-90842.227							
			-12.937	-9.309	-9.309	120.430533	215-44-15	15.938	/
707 ( 6 )	-63632.820	-90851.536							
			-0.745	1.039	-17.579	13.096355	125-38-31	1.278	/
708 ( 7 )	-63633.565	-90850.497							
			12.940	9.307	-7.233	-93.595020	35-43-31	15.939	/
789 ( 28 )	-63620.625	-90841.190							
			0.742	-1.037	1.037	0.769454	305-35-05	1.275	/
788 ( 22 )	-63619.883	-90842.227							

TOTAL

2S 40.701322  
S 20.350661

-----  
測点 20.350661 / SQ METER

6.156074 ㎡

\*\*\* 測点データ ( 5-10 )

NO	X	Y	DX	DY	D M D	2S	A	L	38
787 ( 21 )	-63619.062	-90843.374							
			-12.938	-9.303	-9.303	120.362214	215-43-04	15.935	/
706 ( 5 )	-63632.000	-90852.677							
			-0.820	1.141	-17.465	14.321300	125-42-13	1.405	/
707 ( 6 )	-63632.820	-90851.536							
			12.937	9.309	-7.015	-90.753055	35-44-15	15.938	/
788 ( 22 )	-63619.883	-90842.227							
			0.821	-1.147	1.147	0.941687	305-35-40	1.411	/
787 ( 21 )	-63619.062	-90843.374							

TOTAL

2S 44.872146  
S 22.436073

-----  
測点 22.436073 / SQ METER

6.766912 ㎡



\*\*\* 埋込材 ケイパッド ( 6 )

NO		X	Y	DX	DY	D M D	ZS	A	L	38
786	( 20 )	-63616.222	-90847.343							
				-12.919	-9.298	-9.298	120.120862	215-44-35	15.917	/
705	( 4 )	-63629.141	-90856.641							
				-2.859	3.964	-14.632	41.832688	125-48-02	4.887	/
706	( 4 )	-63632.000	-90852.677							
				12.938	9.303	-1.365	-17.660370	35-43-04	15.935	/
787	( 21 )	-63619.062	-90843.374							
				2.840	-3.969	3.969	11.271960	305-35-08	4.860	/
786	( 20 )	-63616.222	-90847.343							

TOTAL

ZS 155.565340

S 77.782670

埋込材 77.782670 / SQ METER

23.529257 坪

## \*\*\* メンピキ タイサン (公園)

NO	X	Y	DX	DY	D M D	2S	A	L
395 ( / )	-63566.344	-90851.971						
			-0.317	-3.625	-3.625	1.149125	265-00-08	3.639
396 ( < )	-63566.661	-90855.596						
			-38.154	-34.822	-42.072	1605.215088	222-23-09	51.656
328 ( ∽ )	-63604.815	-90890.418						
			-24.326	33.777	-43.117	1048.864142	125-45-40	41.625
705 ( ≪ )	-63629.141	-90856.641						
			12.919	9.298	-0.042	0.542598	35-44-35	15.917
786 ( 20 )	-63616.222	-90847.343						
			29.626	21.323	30.579	905.933454	35-44-39	36.502
733 ( 17 )	-63586.596	-90826.020						
			20.252	-25.951	25.951	525.559652	307-58-06	32.918
395 ( / )	-63566.344	-90851.971						

TOTAL

2S 4086.178863

S 2043.089431

-----  
メンピキ 2043.089431 SQ METER

618.034553 ヲホ"