





街 区 地 原 子 一 覽 表 (3 9 街 区)



計算面積 = 
 角切面積 = 
 換地面積 = 



39
街
区

NO	X	Y	DX	DY	D M D	2S	A	L
385 (/)	-63465.459	-90896.356						
386 (ㄥ)	-63465.740	-90896.643	-0.281	-0.287	-0.287	0.080647	225-36-19	0.402
387 (ㄷ)	-63480.481	-90908.123	-14.741	-11.480	-12.054	177.688014	217-54-39	18.684
408 (ㄴ)	-63487.510	-90913.571	-7.029	-5.448	-28.982	203.714478	217-46-42	8.893
409 (ㄹ)	-63494.387	-90918.952	-6.877	-5.381	-39.811	273.780247	218-02-31	8.732
410 (ㅁ)	-63498.054	-90918.643	-3.667	0.309	-44.883	164.585961	175-11-00	3.680
411 (ㅂ)	-63504.365	-90911.702	-6.311	6.941	-37.633	237.501863	132-16-42	9.381
418 (ㄷ)	-63508.572	-90907.096	-4.207	4.606	-26.086	109.743802	132-24-28	6.238
419 (ㄸ)	-63513.278	-90901.911	-4.706	5.185	-16.295	76.684270	132-13-39	7.002
420 (ㄹ)	-63517.007	-90897.802	-3.729	4.109	-7.001	26.106729	132-13-28	5.549
421 (ㅀ)	-63526.363	-90887.514	-9.356	10.288	7.396	-69.196976	132-17-01	13.906
413 (ㅂ)	-63533.119	-90880.091	-6.756	7.423	25.107	-169.622892	132-18-24	10.037
414 (ㅃ)	-63537.971	-90874.766	-4.852	5.325	37.855	-183.672460	132-20-20	7.204
415 (ㅄ)	-63546.296	-90865.615	-8.325	9.151	52.331	-435.655575	132-17-38	12.371
399 (ㅅ)	-63549.667	-90861.908	-3.371	3.707	65.189	-219.752119	132-16-56	5.011
400 (ㅆ)	-63554.831	-90856.314	-5.164	5.594	74.490	-384.666360	132-42-40	7.613
401 (ㅈ)	-63554.677	-90852.781	0.154	3.533	83.617	12.877018	87-30-15	3.536
402 (ㅊ)	-63547.670	-90846.408	7.007	6.373	93.523	655.315661	42-17-14	9.472
403 (ㅋ)	-63541.612	-90840.891	6.058	5.517	105.413	638.591954	42-19-26	8.194
372 (ㅌ)	-63526.944	-90827.565	14.668	13.326	124.256	1822.587008	42-15-19	19.817
371 (ㅍ)	-63522.813	-90832.078	4.131	-4.513	133.069	549.708039	312-28-11	6.118
			4.652	-5.124	123.432	574.205664	312-14-09	6.921

NO	X	Y	DX	DY	D M D	2S	A	L
376 (21)	-63518.161	-90837.202	3.712	-4.042	114.266	424.155392	312-33-47	5.488
375 (22)	-63514.449	-90841.244	4.049	-4.429	105.795	428.363955	312-26-01	6.001
370 (20)	-63510.400	-90845.673	3.352	-3.693	97.673	327.399896	312-13-44	4.987
377 (24)	-63507.048	-90849.366	6.535	-7.178	86.802	567.251070	312-18-55	9.707
378 (24)	-63500.513	-90856.544	3.681	-4.037	75.587	278.235747	312-21-33	5.463
379 (26)	-63496.832	-90860.581	9.613	-10.584	60.966	586.066158	312-14-51	14.298
380 (27)	-63487.219	-90871.165	4.578	-5.028	45.354	207.630612	312-19-04	6.800
381 (28)	-63482.641	-90876.193	4.451	-4.884	35.442	157.752342	312-20-39	6.608
382 (29)	-63478.190	-90881.077	9.738	-10.687	19.871	193.503798	312-20-23	14.458
383 (20)	-63468.452	-90891.764	0.588	-0.645	8.539	5.020932	312-21-11	0.873
384 (21)	-63467.864	-90892.409	2.405	-3.947	3.947	9.492535	301-21-18	4.622
385 (/)	-63465.459	-90896.356						

TOTAL
 2S 7245.477410
 S 3622.738705

 合計 3622.738705 SQ METER
 1095.878458 ヲホ"

*** 測点タイプ (/)

NO	X	Y	DX	DY	D M D	ZS	A	L
385 (/)	-63465.459	-90896.356	-0.281	-0.287	-0.287	0.080647	225-36-19	0.402
386 (/)	-63465.740	-90896.643	-14.741	-11.480	-12.054	177.688014	217-54-39	18.684
387 (Z)	-63480.481	-90908.123	-3.722	4.097	-19.437	72.344514	132-15-15	5.535
390 (/)	-63484.203	-90904.026	15.751	12.262	-3.078	-48.481578	37-54-01	19.961
383 (/)	-63468.452	-90891.764	0.588	-0.645	8.539	5.020932	312-21-11	0.873
384 (/)	-63467.864	-90892.409	2.405	-3.947	3.947	9.492535	301-21-18	4.622
385 (/)	-63465.459	-90896.356						

TOTAL
 ZS 216.145064
 S 108.072532

 測点 108.072532 SQ METER
 32.691940 ユハ

*** 測点タイプ (Z)

NO	X	Y	DX	DY	D M D	ZS	A	L
383 (/)	-63468.452	-90891.764	-15.751	-12.262	-12.262	193.138762	217-54-01	19.961
390 (/)	-63484.203	-90904.026	-8.685	9.548	-14.976	130.066560	132-17-24	12.907
391 (/)	-63492.888	-90894.478	14.698	13.401	7.973	117.187154	42-21-26	19.890
382 (/)	-63478.190	-90881.077	9.738	-10.687	10.687	104.070006	312-20-23	14.458
383 (/)	-63468.452	-90891.764						

TOTAL
 ZS 544.462482
 S 272.231241

 測点 272.231241 SQ METER
 82.349950 ユハ

*** 測点ライブラリ (0)

39 -

NO		X	Y	DX	DY	D M D	ZS	A	L
382	(CP)	-63478.190	-90881.077						
391	(W)	-63492.888	-90894.478	-14.698	-13.401	-13.401	196.967898	222-21-26	19.890
913	(H)	-63497.337	-90889.608	-4.449	4.870	-21.932	97.575468	132-24-40	6.596
381	(CB)	-63482.641	-90876.193	14.696	13.415	-3.647	-53.596312	42-23-27	19.893
382	(CP)	-63478.190	-90881.077	4.451	-4.884	4.884	21.738684	312-20-39	6.608

TOTAL

ZS 262.685738
S 131.342869

測点 131.342869 / SQ METER

39.731217 ㊦

*** 測点ライブラリ (4)

39 -

NO		X	Y	DX	DY	D M D	ZS	A	L
381	(CB)	-63482.641	-90876.193						
913	(H)	-63497.337	-90889.608	-14.696	-13.415	-13.415	197.146840	222-23-27	19.893
356	(W)	-63502.822	-90894.615	-5.485	-5.007	-31.837	174.625945	222-23-29	7.427
357	(W)	-63507.402	-90889.591	-4.580	5.024	-31.820	145.735600	132-21-11	6.798
380	(CP)	-63487.219	-90871.165	20.183	13.426	-8.370	-168.931710	42-23-40	27.329
381	(CB)	-63482.641	-90876.193	4.578	-5.028	5.028	23.018184	312-19-04	6.600

TOTAL

ZS 371.594859
S 185.797429

測点 185.797429 / SQ METER

56.203722 ㊦

*** 測定データ (4)

NO	X	Y	DX	DY	D M D	ZS	A	L	39
380 (27)	-63487.219	-90871.165	-20.183	-18.426	-18.426	371.891958	222-23-40	27.329	
357 (26)	-63507.402	-90889.591	-0.202	0.222	-36.630	7.399260	132-17-58	0.300	
914 (27)	-63507.604	-90889.369	-9.403	-8.433	-44.841	421.639923	221-53-13	12.631	
420 (9)	-63517.007	-90897.802	-9.356	10.235	-42.986	402.177016	132-17-01	13.906	
421 (10)	-63526.363	-90887.514	29.531	26.933	-5.765	-170.246215	42-21-56	39.968	
379 (26)	-63496.832	-90860.581	9.613	-10.584	10.584	101.743992	312-14-51	14.298	
380 (27)	-63487.219	-90871.165							

TOTAL
 ZS 1134.605934
 S 567.302967

 測定 567.302967 SQ METER
 171.609147 ㎡

ノノ街区

*** メンピキ ケイサン (6)

NO	X	Y	DX	DY	D M D	2S	A	L
379 ()	-63496.832	-90860.581						
			-14.717	-13.423	-13.423	197.546291	222-22-02	19.919
2612 ()	-63511.549	-90874.004						
			-3.717	4.031	-22.815	84.803355	132-40-45	5.483
359 ()	-63515.266	-90869.973						
			14.753	13.429	-5.355	-79.002315	42-18-37	19.950
378 ()	-63500.513	-90856.544						
			3.681	-4.037	4.037	14.860197	312-21-33	5.463
379 ()	-63496.832	-90860.581						

TOTAL
2S 218.207528
S 109.103764

メンピキ 109.103764 SQ METER
33.003888 ツホ"

*** メンピキ ケイサン (7)

NO	X	Y	DX	DY	D M D	2S	A	L
2612 ()	-63511.549	-90874.004						
			-14.814	-13.510	-13.510	200.137140	222-21-51	20.049
421 ()	-63526.363	-90887.514						
			-6.756	7.423	-19.597	132.397332	132-18-24	10.037
413 ()	-63533.119	-90880.091						
			14.832	13.490	1.316	19.518912	42-17-14	20.049
360 ()	-63518.287	-90866.601						
			3.021	-3.372	11.434	34.542114	311-51-27	4.527
359 ()	-63515.266	-90869.973						
			3.717	-4.031	4.031	14.983227	312-40-45	5.483
2612 ()	-63511.549	-90874.004						

TOTAL
2S 401.578725
S 200.789362

メンピキ 200.789362 SQ METER
60.738782 ツホ"

*** 時刻データ (8)

NO	X	Y	DX	DY	D M D	2S	A	L
378 (24)	-63500.513	-90856.544	-14.753	-13.429	-13.429	198.118037	222-18-37	19.950
359 (42)	-63515.266	-90869.973	-3.021	3.372	-23.486	70.951206	131-51-27	4.527
360 (43)	-63518.287	-90866.601	-14.832	-13.490	-33.604	498.414528	222-17-14	20.049
413 (11)	-63533.119	-90880.091	-4.852	5.325	-41.769	202.663188	132-20-20	7.204
414 (12)	-63537.971	-90874.766	19.535	17.705	-18.739	-366.066365	42-11-12	26.364
362 (44)	-63518.436	-90857.061	1.377	-1.501	-2.535	-3.490695	312-31-58	2.037
361 (44)	-63517.059	-90858.562	10.011	9.196	5.160	51.656760	42-34-13	13.594
377 (24)	-63507.048	-90849.366	6.535	-7.178	7.178	46.908230	312-18-55	9.707
378 (24)	-63500.513	-90856.544						

TOTAL

2S 699.154889
S 349.577444

時刻 349.577444 / SQ METER

*** 時刻データ (9)

NO	X	Y	DX	DY	D M D	2S	A	L
377 (24)	-63507.048	-90849.366	-10.011	-9.196	-9.196	92.061156	222-34-13	13.594
361 (44)	-63517.059	-90858.562	-1.377	1.501	-16.891	23.258907	132-31-58	2.037
362 (44)	-63518.436	-90857.061	-1.974	2.225	-13.162	25.961786	131-32-27	2.977
363 (48)	-63520.410	-90854.833	10.010	9.160	-1.774	-17.757740	42-27-40	13.569
370 (22)	-63510.400	-90845.673	3.352	-3.693	3.693	12.378936	312-13-44	4.987
377 (22)	-63507.048	-90849.366						

TOTAL

2S 135.923047
S 67.961523

時刻 67.961523 / SQ METER

20.558360 時刻

*** 測点データ (10)

NO	X	Y	DX	DY	D M D	ZS	A	L
370 (20)	-63510.400	-90845.673						
363 (46)	-63520.410	-90854.833	-10.010	-9.160	-9.160	91.691600	222-27-40	13.569
364 (47)	-63521.130	-90855.471	-0.720	-0.638	-18.958	13.649760	221-32-40	0.962
365 (48)	-63525.157	-90851.009	-4.027	4.462	-15.134	60.944618	132-04-00	6.011
375 (22)	-63514.449	-90841.244	10.708	9.765	-0.907	-9.712156	42-21-46	14.492
370 (20)	-63510.400	-90845.673	4.049	-4.429	4.429	17.933021	312-26-01	6.001

TOTAL
 ZS 174.506843
 S 87.253421

 測点 87.253421 / SQ METER
 26.394160 ユニ

*** 測点データ (11)

NO	X	Y	DX	DY	D M D	ZS	A	L
375 (22)	-63514.449	-90841.244						
365 (48)	-63525.157	-90851.009	-10.708	-9.765	-9.765	104.563620	222-21-46	14.492
366 (49)	-63529.097	-90854.606	-3.940	-3.597	-23.127	91.120380	222-23-40	5.335
358 (40)	-63531.449	-90852.093	-2.352	2.513	-24.211	56.944272	133-06-16	3.442
367 (41)	-63532.848	-90850.564	-1.399	1.529	-20.169	28.216431	132-27-28	2.072
376 (21)	-63518.181	-90837.202	14.687	13.362	-5.278	-77.517986	42-17-44	19.856
375 (22)	-63514.449	-90841.244	3.712	-4.042	4.042	15.003904	312-33-47	5.468

TOTAL
 ZS 218.330621
 S 109.165310

 測点 109.165310 / SQ METER
 33.022506 ユニ

*** 測点番号 (12)

NO	X	Y	DX	DY	D M D	ZS	A	L
376 (21)	-63518.161	-90837.202	-14.687	-13.362	-13.362	196.247694	222-17-44	19.856
367 (41)	-63532.848	-90850.564	-4.643	5.109	-21.615	100.358445	132-15-51	6.904
368 (42)	-63537.491	-90845.455	14.676	13.377	-3.129	-45.927462	42-20-42	19.859
371 (20)	-63522.813	-90832.078	4.652	-5.124	5.124	23.836848	312-14-09	6.921

TOTAL

ZS 274.515525
S 137.257762

測点 137.257762 / SQ METER

41.520473 ヶ畝

*** 測点番号 (13)

NO	X	Y	DX	DY	D M D	ZS	A	L
371 (20)	-63522.813	-90832.078	-14.678	-13.377	-13.377	196.347606	222-20-42	19.859
368 (42)	-63537.491	-90845.455	-4.121	4.564	-22.190	91.444990	132-04-48	6.149
403 (18)	-63541.612	-90840.891	14.668	13.326	-4.300	-63.072400	42-15-19	19.817
372 (19)	-63526.944	-90827.565	4.131	-4.513	4.513	18.643203	312-28-11	6.116
371 (20)	-63522.813	-90832.078						

TOTAL

ZS 243.363399
S 121.681699

測点 121.681699 / SQ METER

36.808714 ヶ畝

*** 刈込計リ内訳 (14)

39

NO		X	Y	DX	DY	D M D	ZS	A	L
358	(60)	-63531.449	-90852.093						
				-6.056	-5.519	-5.519	33.423064	222-20-38	8.194
369	(50)	-63537.505	-90857.612						
				-3.366	3.710	-7.328	24.666048	132-13-00	5.009
793	(50)	-63540.871	-90853.902						
				-6.799	7.494	3.876	-26.352924	132-12-58	10.119
402	(17)	-63547.670	-90846.408						
				6.058	5.517	16.887	102.301446	42-19-26	8.194
403	(18)	-63541.612	-90840.891						
				4.121	-4.564	17.840	73.518640	312-04-48	6.149
368	(50)	-63537.491	-90845.455						
				4.643	-5.109	8.167	37.919381	312-15-51	6.904
367	(51)	-63532.848	-90850.564						
				1.399	-1.529	1.529	2.139071	312-27-28	2.072
358	(60)	-63531.449	-90852.093						

TOTAL

ZS 247.614726
S 123.807363

刈込計 123.807363 / SQ METER

37.451727 ユニツ

*** 刈込計リ内訳 (15)

39

NO		X	Y	DX	DY	D M D	ZS	A	L
793	(50)	-63540.871	-90853.902						
				-8.796	-8.006	-8.006	70.420776	222-18-29	11.894
399	(14)	-63549.667	-90861.908						
				-5.164	5.594	-10.418	53.798552	132-42-40	7.613
400	(16)	-63554.831	-90856.314						
				0.154	3.533	-1.291	0.198814	87-30-15	3.536
401	(16)	-63554.677	-90852.781						
				7.007	6.373	8.615	60.365305	42-17-14	9.472
402	(17)	-63547.670	-90846.408						
				6.799	-7.494	7.494	50.951706	312-12-58	10.119
793	(50)	-63540.871	-90853.902						

TOTAL

ZS 235.337525
S 117.668762

刈込計 117.668762 / SQ METER

35.594800 ユニツ

*** 測点データ (16)

39

NO	X	Y	DX	DY	D M D	ZS	A	L
369 (60)	-63537.505	-90857.612	-8.791	-8.003	-8.003	70.354373	222-18-49	11.888
415 (70)	-63546.296	-90865.615	-3.371	3.707	-12.299	41.459929	132-16-56	5.011
399 (14)	-63549.667	-90861.908	8.796	8.006	-0.586	-5.154456	42-18-29	11.894
793 (44)	-63540.871	-90853.902	3.366	-3.710	3.710	12.487860	312-13-00	5.009
369 (60)	-63537.505	-90857.612						

TOTAL

ZS 119.147706

S 59.573853

測点 59.573853 SQ METER

18.021090 ユニ

*** メンベキ クイック (17)

NO	X	Y	DX	DY	D M D	ZS	A	L
362 (45)	-63518.436	-90857.061						
			-19.535	-17.705	-17.705	345.867175	222-11-12	26.364
414 (12)	-63537.971	-90874.766						
			-8.325	9.151	-26.259	218.606175	132-17-38	12.371
415 (10)	-63546.296	-90865.615						
			8.791	8.003	-9.105	-80.042055	42-18-49	11.883
369 (10)	-63537.505	-90857.612						
			6.056	5.519	4.417	26.749352	42-20-38	8.194
358 (10)	-63531.449	-90852.093						
			2.352	-2.513	7.423	17.458896	313-06-16	3.442
366 (49)	-63529.097	-90854.606						
			3.940	3.597	8.507	33.517580	42-23-40	5.335
365 (48)	-63525.157	-90851.009						
			4.027	-4.462	7.642	30.774334	312-04-00	6.011
364 (47)	-63521.130	-90855.471						
			0.720	0.638	3.818	2.748960	41-32-40	0.962
363 (46)	-63520.410	-90854.833						
			1.974	-2.228	2.228	4.398072	311-32-27	2.977
362 (45)	-63518.436	-90857.061						

TOTAL

ZS 600.078489
S 300.039244

メニベキ 300.039244 SQ METER

90.761871 ユニ

*** メンベキ クイック (21)

NO	X	Y	DX	DY	D M D	ZS	A	L
354 (16)	-63500.282	-90899.541						
			-8.290	-7.555	-7.555	62.630950	222-20-39	11.216
418 (7)	-63508.572	-90907.096						
			-4.706	5.185	-9.925	46.707050	132-13-39	7.002
419 (8)	-63513.278	-90901.911						
			8.314	7.497	2.757	22.921698	42-02-31	11.195
352 (41)	-63504.964	-90894.414						
			1.072	-1.180	9.074	9.727328	312-15-16	1.594
353 (40)	-63503.892	-90895.594						
			3.610	-3.947	3.947	14.248670	312-26-48	5.349
354 (16)	-63500.282	-90899.541						

TOTAL

ZS 156.235696
S 78.117848

メニベキ 78.117848 SQ METER

23.630649 ユニ

*** 測定データ (20)

NO	X	Y	DX	DY	D M D	2S	A	L	39
356 (ㄨㄚ)	-63502.822	-90894.615							
353 (ㄚ0)	-63503.892	-90895.594	-1.070	-0.979	-0.979	1.047530	222-27-25	1.450	
352 (ㄚ1)	-63504.964	-90894.414	-1.072	1.180	-0.778	0.834016	132-15-16	1.594	
419 (ㄚ)	-63513.278	-90901.911	-8.314	-7.497	-7.095	58.987830	222-02-31	11.195	
420 (ㄚ)	-63517.007	-90897.802	-3.729	4.109	-10.483	39.091107	132-13-28	5.549	
792 (ㄚ7)	-63507.604	-90889.369	9.403	8.433	2.059	19.360777	41-53-13	12.631	
357 (ㄚㄚ)	-63507.402	-90889.591	0.202	-0.222	10.270	2.074540	312-17-58	0.300	
356 (ㄨㄚ)	-63502.822	-90894.615	4.580	-5.024	5.024	23.009920	312-21-11	6.798	

TOTAL

2S 144.405720
S 72.202860

測定 72.202860 / SQ METER

21.841365 ユㄚ

*** メンベキ ケイサン (22)

NO		X	Y	DX	DY	D M D	2S	A	L
355	(8)	-63496.110	-90904.159						
411	(6)	-63504.365	-90911.702	-8.255	-7.543	-7.543	62.267465	222-25-10	11.182
418	(7)	-63508.572	-90907.096	-4.207	4.606	-10.480	44.089360	132-24-28	6.238
354	(6)	-63500.282	-90899.541	8.290	7.555	1.681	13.935490	42-20-39	11.216
355	(8)	-63496.110	-90904.159	4.172	-4.618	4.618	19.266296	312-05-43	6.223

TOTAL
 2S 139.558611
 S 69.779305

 メンベキ 69.779305 / SQ METER
 21.108239 ㎡

*** メンベキ ケイサン (23)

NO		X	Y	DX	DY	D M D	2S	A	L
408	(5)	-63487.510	-90913.571						
409	(4)	-63494.337	-90918.952	-6.877	-5.381	-5.381	37.005137	218-02-31	8.732
410	(4)	-63498.054	-90918.643	-3.667	0.309	-10.453	38.331151	175-11-00	3.680
411	(6)	-63504.365	-90911.702	-6.311	6.941	-3.203	20.214133	132-16-42	9.381
355	(8)	-63496.110	-90904.159	8.255	7.543	11.281	93.124655	42-25-10	11.182
408	(5)	-63487.510	-90913.571	8.600	-9.412	9.412	80.943200	312-25-08	12.749

TOTAL
 2S 269.618276
 S 134.809138

 メンベキ 134.809138 / SQ METER
 40.779764 ㎡

*** 25 ***

39

NO		X	Y	DX	DY	D M D	2S	A	L
391	(1)	-63492.888	-90894.478						
390	(2)	-63484.203	-90904.026	8.685	-9.548	-9.548	-82.924380	312-17-24	12.907
387	(3)	-63480.401	-90908.123	3.722	-4.097	-23.193	-86.324346	312-15-15	5.535
408	(4)	-63487.510	-90913.571	-7.029	-5.448	-32.738	230.115402	217-46-42	8.893
355	(5)	-63496.110	-90904.159	-8.600	9.412	-28.774	247.456400	132-25-08	12.749
354	(6)	-63500.282	-90899.541	-4.172	4.618	-14.744	61.511968	132-05-43	6.223
353	(7)	-63503.892	-90895.594	-3.610	3.947	-6.179	22.306190	132-26-48	5.349
356	(8)	-63502.822	-90894.615	1.070	0.979	-1.253	-1.340710	42-27-25	1.450
791	(9)	-63497.337	-90889.608	5.465	5.007	4.733	25.960505	42-23-29	7.427
391	(10)	-63492.888	-90894.478	4.449	-4.870	4.870	21.666630	312-24-48	6.596

TOTAL

2S 438.427659

S 219.213829

25 219.213829 / SQ METER

66.312183 ユニ