

基準点成果表

点 番 号	X	Y	辺 長		標 高
			S	T	
	mm	mm	mm	° ′ ″	mm
B-31	-63897.169 /	-87821.215 /	44.386 /	268-55-18 /	8.096 /
B-42	-63898.005 /	-87865.592 /	36.395 /	188-35-2 /	7.740 /
B-43	-63933.991 /	-87871.025 /	49.650 /	186-30-18 /	7.837 /
B-44	-63983.321 /	-87876.649 /	51.400 /	172-23-31 /	7.929 /
B-45	-64034.268 /	-87869.844 /	25.405 /	188-34-3 /	8.131 /
B-28	-64059.389 /	-87873.629 /			8.701 /
B-30	-64031.286 /	-87822.687 /	37.683 /	358-1-52 /	8.304 /
B-137	-63993.625 /	-87823.982 /	42.806 /	2-49-18 /	8.159 /
B-136	-63950.872 /	-87821.875 /	53.707 /	0-42-16 /	8.109 /
B-31	-63897.169 /	-87821.215 /			8.096 /
B-27	-64040.398 /	-87919.025 /	28.018 /	349-5-55 /	8.489 /
B-54	-64012.886 /	-87924.324 /	25.659 /	350-4-6 /	8.271 /
B-53	-63987.611 /	-87928.750 /	37.316 /	350-59-4 /	8.166 /
B-52	-63950.756 /	-87934.597 /	62.602 /	9-3-52 /	8.013 /
B-51	-63888.937 /	-87924.734 /	68.487 /	13-4-2 /	7.851 /
B-46	-63822.223 /	-87909.250 /	48.973 /	90-2-30 /	7.551 /
B-40	-63822.259 /	-87860.278 /	31.045 /	185-38-6 /	7.541 /
B-41	-63853.154 /	-87863.326 /	44.908 /	182-53-34 /	7.635 /
B-42	-63898.005 /	-87865.592 /			7.740 /

基準点成果表

点 番 号	X	Y	辺 長	方 向 角	標 高
			S	T	H
	m	m	m	° ' "	m
A-4	-63823.796	-88069.869	55.542	106-44-37	6.949
B-48	-63839.797	-88016.682	54.869	90-53-10	7.098
B-47	-63840.645	-87961.820	55.705	70-41-17	7.029
B-46	-63822.223	-87909.250	48.973	90- 2-30	7.551
B-40	-63822.259	-87860.278	55.035	5-40-33	7.541
B-9	-63767.494	-87854.835	53.107	270-39-49	7.427
B-10	-63766.879	-87907.938	55.838	263-22-50	7.569
B-11	-63773.316	-87963.403	49.586	249-31-12	6.964
B-12	-63790.665	-88009.855	68.552	241- 5-55	6.990
A-4	-63823.796	-88069.869			6.949
B-19	-63880.317	-88066.593	54.956	92-55-49	6.952
B-49	-63883.127	-88011.709	39.794	93-14-58	7.188
B-50	-63885.382	-87971.979	47.379	94-18-10	7.760
B-51	-63888.937	-87924.734	62.602	189- 3-52	7.851
B-52	-63950.756	-87934.597	36.827	273-42-44	8.013
B-55	-63948.372	-87971.347	37.455	277-30-18	7.725
B-56	-63943.480	-88008.480	32.383	282-48-42	7.552
B-57	-63936.300	-88040.057	31.613	269-33-45	7.432
B-20	-63936.541	-88071.668			7.485

基準点成果表

点の 番号	X	Y	辺長	方向角	標高
	m	m	S m	T ° ' "	H m
B-23	-64091.853 /	-88038.620 /	26.432 /	354-37-54 /	8.877 /
B-60	-64065.537 /	-88041.093 /	46.551 /	351-5-1 /	7.724 /
B-59	-64019.549 /	-88048.308 /	43.602 /	8-30-39 /	7.580 /
B-58	-63976.427 /	-88041.855 /	40.168 /	2-33-59 /	7.444 /
B-57	-63936.300 /	-88040.057 /			7.432 /
B-55	-63948.372 /	-87971.347 /	43.737 /	165-47-9 /	7.725 /
B-64	-63990.770 /	-87960.607 /	38.537 /	278-13-49 /	7.968 /
B-63	-63985.254 /	-87998.747 /	44.029 /	185-6-42 /	7.694 /
B-62	-64029.107 /	-88002.670 /	37.043 /	174-3-47 /	7.727 /
B-61	-64065.952 /	-87998.838 /	31.598 /	110-27-3 /	7.733 /
B-25	-64076.992 /	-87969.232 /			8.585 /
A-4	-63823.796 /	-88069.869 /	48.045 /	346-2-13 /	6.949 /
B-13	-63777.171 /	-88081.462 /	53.158 /	5-0-49 /	6.860 /
B-14	-63724.216 /	-88076.817 /	45.597 /	20-57-48 /	6.628 /
B-15	-63681.638 /	-88060.503 /	77.078 /	279-47-3 /	6.340 /
B-65	-63668.539 /	-88136.460 /	59.811 /	174-37-36 /	6.103 /
B-103	-63728.087 /	-88130.859 /	48.787 /	181-56-34 /	6.233 /
B-102	-63776.846 /	-88132.513 /	52.434 /	182-58-33 /	6.356 /
B-94	-63829.209 /	-88135.235 /			6.597 /

基準点成果表

点の 番号	X m	Y m	辺長		方向角 T ° / ' / "	標高 H m
			S m	T		
A-7	-64075.461 //	-88359.780 //	45.761 //		88-57-33 //	8.856 //
B-81	-64074.630 //	-88314.027 //	37.180 //		95-1-33 //	8.801 //
B-82	-64077.887 //	-88276.990 //	44.143 //		88-5-56 //	8.864 //
B-83	-64076.423 //	-88232.871 //	41.131 //		99-12-29 //	8.658 //
B-84	-64083.005 //	-88192.270 //	38.626 //		96-52-56 //	8.825 //
B-85	-64087.633 //	-88153.923 //	40.601 //		91-21-29 //	8.804 //
B-86	-64088.595 //	-88113.333 //	31.397 //		132-2-20 //	8.912 //
A-6	-64109.620 //	-88090.015 //				9.835 //
A-8	-63826.771 //	-88517.207 //	34.529 //		53-56-20 //	21.664 //
B-73	-63806.446 //	-88489.294 //	48.879 //		166-10-26 //	9.243 //
B-74	-63853.908 //	-88477.613 //	31.538 //		196-25-0 //	8.550 //
B-75	-63884.160 //	-88486.527 //	36.187 //		166-43-2 //	8.772 //
B-76	-63919.379 //	-88478.213 //	41.014 //		150-14-34 //	8.746 //
B-77	-63954.985 //	-88457.856 //	36.008 //		152-38-37 //	8.770 //
B-78	-63986.966 //	-88441.310 //	49.514 //		142-23-51 //	8.816 //
B-79	-64026.193 //	-88411.098 //	43.434 //		147-46-47 //	8.823 //
B-80	-64062.938 //	-88387.940 //	30.819 //		113-58-29 //	9.160 //
A-7	-64075.461 //	-88359.780 //				8.856 //

基準点成果表

点 番 号	X	Y	辺 長	方 向 角	標 高
			S	T	H
	m	m	m	° ' "	m
B-83	-64076.423 /	-88232.871 /	35.386 /	1-41-52 /	8.658 /
B-87	-64041.053 /	-88231.823 /	59.340 /	348-51-54 /	6.971 /
B-88	-63982.830 /	-88243.283 /	53.961 /	1-39-30 /	6.509 /
B-89	-63928.892 /	-88241.721 /	51.012 /	355-17-35 /	6.350 /
B-90	-63878.052 /	-88245.907 /	64.796 /	94-45-36 /	6.345 /
B-108	-63883.429 /	-88181.336 /	54.213 /	93-57-18 /	6.792 /
B-107	-63887.168 /	-88127.252 /	61.045 /	83-33-24 /	6.971 /
B-19	-63880.317 /	-88066.593 /			6.952 /
B-3	-63551.231 /	-87954.405 /	40.409 /	169-52-29 /	6.451 /
B-34	-63591.011 /	-87947.301 /	41.610 /	189-40-53 /	6.393 /
B-35	-63632.028 /	-87954.299 /	51.351 /	284-10-46 /	6.371 /
B-36	-63619.450 /	-88004.085 /	51.672 /	318-59-29 /	6.402 /
B-134	-63580.458 /	-88037.990 /	29.955 /	252-36-47 /	6.186 /
B-17	-63589.409 /	-88066.576 /			6.096 /
B-8	-63751.329 /	-87808.665 /	48.918 /	250-42-11 /	10.606 /
B-9	-63767.494 /	-87854.835 /	53.107 /	270-39-49 /	7.427 /
B-10	-63766.879 /	-87907.938 /	32.428 /	1-38-54 /	7.569 /
B-135	-63734.465 /	-87907.005 /	55.159 /	12-14-6 /	7.178 /
B-6	-63680.559 /	-87895.316 /			7.033 /

基準点成果表

点 番 号	X	Y	辺 長		方 向 角	標 高
			S	T		
	m	m	m	° ' "	m	
B-85	-64087.633 /	-88153.923 /	28.417 /	8-43-12 /		8.804 /
B-124	-64059.545 /	-88149.614 /	39.135 /	354-20-35 /		7.327 /
B-125	-64020.600 /	-88153.472 /	39.278 /	2-18-54 /		6.999 /
B-120	-63981.354 /	-88151.886 /	48.907 /	271- 2- 2 /		6.850 /
B-121	-63980.472 /	-88200.784 /	37.538 /	178-54-43 /		6.624 /
B-122	-64018.002 /	-88200.071 /	40.645 /	185-23- 9 /		6.767 /
B-123	-64058.468 /	-88203.886 /	27.148 /	154-40- 0 /		7.046 /
B-84	-64083.005 /	-88192.270 /				8.825 /
B-87	-64041.053 /	-88231.823 /	49.076 /	268-14-33 /		6.971 /
B-127	-64042.558 /	-88280.876 /	67.953 /	356-13-48 /		6.782 /
B-126	-63974.752 /	-88285.344 /	56.699 /	352- 3-50 /		6.418 /
B-116	-63918.597 /	-88293.173 /	52.471 /	101-18-54 /		6.153 /
B-89	-63928.892 /	-88241.721 /				6.350 /
B-76	-63919.379 /	-88478.213 /	29.397 /	77- 5-44 /		8.746 /
B-113	-63912.814 /	-88449.558 /	45.028 /	87-36-32 /		6.381 /
B-114	-63910.935 /	-88404.570 /	55.466 /	93-53-33 /		5.923 /
B-115	-63914.701 /	-88349.231 /	56.194 /	93-58-33 /		5.993 /
B-116	-63918.597 /	-88293.173 /	56.699 /	172- 3-50 /		6.153 /
B-126	-63974.752 /	-88285.344 /	65.194 /	276- 7-24 /		6.418 /
B-132	-63967.798 /	-88350.166 /	61.657 /	268-55-24 /		6.189 /
B-131	-63968.957 /	-88411.813 /	64.038 /	152-22-33 /		6.311 /
B-130	-64025.695 /	-88382.120 /	28.982 /	269- 0-52 /		6.463 /
B-79	-64026.193 /	-88411.098 /				8.823 /

基準点成果表

点 番 号	X	Y	辺 長		標 高
			S	T	
	m	m	m	° ' "	m
A-3	-63512.680 //	-88076.719 //	54.647 //	195-20-26 //	6.078 //
B-18	-63565.379 //	-88091.176 //	34.389 //	134-19-41 //	6.232 //
B-17	-63589.409 //	-88066.576 //	46.911 //	192-33-10 //	6.096 //
B-16	-63635.198 //	-88076.772 //	49.207 //	160-41-39 //	6.501 //
B-15	-63681.638 //	-88060.503 //	77.078 //	279-47- 3 //	6.340 //
B-65	-63668.539 //	-88136.460 //	63.661 //	261-19- 8 //	6.103 //
B-66	-63678.148 //	-88199.391 //	70.567 //	271-48-42 //	6.251 //
B-67	-63675.917 //	-88269.923 //	61.398 //	271-54-12 //	5.829 //
B-68	-63673.878 //	-88331.287 //	65.937 //	272-38-16 //	5.952 //
B-69	-63670.843 //	-88397.154 //	50.718 //	199-57- 6 //	5.683 //
B-70	-63718.517 //	-88414.460 //	49.446 //	184- 1-47 //	5.946 //
B-71	-63767.841 //	-88417.935 //	43.632 //	268-17- 4 //	6.040 //
B-72	-63769.147 //	-88461.547 //	46.488 //	216-38-45 //	6.031 //
B-73	-63806.446 //	-88489.294 //			9.243 //
A-4	-63823.796 //	-88069.869 //	65.590 //	265-15-59 //	6.949 //
B-94	-63829.209 //	-88135.235 //	56.964 //	273-28- 1 //	6.597 //
B-95	-63825.764 //	-88192.095 //	60.736 //	271-54-51 //	6.381 //
B-91	-63823.735 //	-88252.797 //	47.813 //	281-36-13 //	6.137 //
B-96	-63814.118 //	-88299.633 //	63.299 //	268-46-15 //	6.045 //
B-97	-63815.476 //	-88362.917 //	55.169 //	277-59-41 //	5.909 //
B-98	-63807.803 //	-88417.550 //	71.757 //	271- 5- 2 //	5.917 //
B-73	-63806.446 //	-88489.294 //			9.243 //

基準点成果表

点の 番号	X	Y	辺長		標高
			S	T	
			mm	° / ' / "	
A-8	-63826.771 /	-88517.207 /	47.580 /	326-48-17 /	21.664 /
B-138	-63786.956 /	-88543.257 /	41.753 /	306-52-48 /	8.682 /
B-139	-63761.898 /	-88576.655 /	40.226 /	335-17-0 /	8.712 /
B-140	-63725.358 /	-88593.474 /	41.689 /	321-39-25 /	8.676 /
B-141	-63692.661 /	-88619.337 /	33.987 /	313-32-49 /	8.623 /
B-142	-63669.245 /	-88643.971 /	31.161 /	340-53-29 /	8.629 /
B-143	-63639.801 /	-88654.172 /	33.788 /	313-1-36 /	8.779 /
A-1	-63616.746 /	-88678.872 /			9.566 /
A-1	-63616.746 /	-88678.872 /	42.417 /	64-13-23 /	9.566 /
B-144	-63598.300 /	-88640.676 /	61.234 /	71-57-6 /	9.064 /
B-145	-63579.329 /	-88582.455 /	41.652 /	100-18-59 /	5.494 /
B-146	-63586.788 /	-88541.477 /	58.650 /	86-33-3 /	5.537 /
B-147	-63583.259 /	-88482.933 /	44.497 /	16-21-30 /	5.376 /
B-148	-63540.564 /	-88470.401 /	48.296 /	3-28-53 /	5.232 /
B-149	-63492.357 /	-88467.468 /	51.646 /	91-49-51 /	5.118 /
B-150	-63494.007 /	-88415.849 /	63.810 /	5-40-57 /	5.204 /
B-151	-63430.511 /	-88409.531 /	46.013 /	110-36-16 /	5.632 /
B-152	-63446.704 /	-88366.461 /	53.683 /	92-5-25 /	5.428 /
A-2	-63448.662 /	-88312.814 /			5.796 /

基準点成果表

点 の 番 号	X	Y	辺 長	方向角	標 高
			S	T	H
	m	m	m	° ' "	m
A-3	-63512.680 /	-88076.719 /	49.252 /	294-15-55 /	6.078 /
B-163	-63492.439 /	-88121.620 /	29.433 /	228-30-34 /	6.068 /
B-162	-63511.938 /	-88143.667 /	37.108 /	234-16-58 /	5.816 /
B-161	-63533.602 /	-88173.795 /	44.374 /	146-50-55 /	5.902 /
B-171	-63570.752 /	-88149.529 /	44.976 /	154- 9-50 /	5.836 /
B-172	-63611.233 /	-88129.929 /	57.677 /	186-30- 6 /	5.952 /
B-65	-63668.539 /	-88136.460 /			6.103 /
B-65	-63668.539 /	-88136.460 /	57.677 /	6-30- 6 /	6.103 /
B-172	-63611.233 /	-88129.929 /	46.179 /	252-49-17 /	5.952 /
B-173	-63624.872 /	-88174.047 /	53.131 /	279-47-18 /	5.832 /
B-169	-63615.839 /	-88226.405 /	58.354 /	262-57- 7 /	5.711 /
B-168	-63622.999 /	-88284.318 /	55.938 /	275- 3-19 /	5.696 /
B-174	-63618.070 /	-88340.038 /	58.879 /	269-47- 1 /	5.571 /
B-175	-63618.293 /	-88398.917 /	52.580 /	178- 4-43 /	5.492 /
B-69	-63670.843 /	-88397.154 /			5.683 /
B-69	-63670.843 /	-88397.154 /	60.367 /	266-28-39 /	5.683 /
B-183	-63674.552 /	-88457.407 /	40.859 /	180-34-13 /	5.517 /
B-184	-63715.409 /	-88457.814 /	45.811 /	253-56-17 /	5.719 /
B-185	-63728.084 /	-88501.837 /	34.353 /	242-29-40 /	5.869 /
B-186	-63743.950 /	-88532.307 /	44.378 /	194-17- 6 /	6.219 /
B-138	-63786.956 /	-88543.257 /	47.580 /	146-48-17 /	8.682 /
A-8	-63826.771 /	-88517.207 /			21.664 /

